INDEX TO VOLUME LX*

*Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909–1966). xvi + 1108 pages. Price: $40.00. Available from: Stechert-Hafner Service Agency, 31 E. 10th St., New York, N.Y. 10003.

The Index for Volume 60 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

Acenaphthene effect 692
Acrasiae 711
Action spectrum for light inhibition of the "terminal phase" of photosporogenesis in the fungus Stemphylium botryosum 532
Addendum Hemimyriangium betulae 971
Adiaspiromycosis in small mammals of Viet Nam 450
Advances in applied microbiology. Vol. 9; citation 738
Aeciospore cytology 1169
Aflatoxin 304
Agricultural microbiology; review 737
Ahearn, Donald G. See Kreger-van Rij and Ahearn 604
Ahmadjian, Vernon. The lichen symbiosis; review 220
Ainsworth, G. C. George Smith (1895–1967); biography 991
Airborne microbes; review 212
Air-pressure effect, spore discharge 285
Ajello, Libero, Linda Bostick, and Shulan Cheng. The relationship of Trichophyton quinckeanum to Trichophyton mentagrophytes 1185
Alaska
  boletes 1204
  fleshy fungi 888
  fungi 1190
Al-Doory, Y. Survival of dermatophyte cultures maintained on hair 720
Algae
  Agarum 481
  Alaria 481
  Ascophyllum 481
  Bangia 481
  Chondrus 481
  Cladophora 481
  Dumontia 481
  Ectocarpus 481
  Enteromorpha 481
  Fucus 481
  Halosaccion 481
  Laminaria 481
  Monostroma 481
  Porphyra 481
  Polysiphonia 481
  Rhodymenia 481
  Spongomorpha 481
  Ulva 481
Al-Hassan, K. K., and C. L. Fergus. The influence of oils and sterols on sexual reproduction of species of Pythium 1243
Anderson, Johanna S., Dorothy I. Fennell, and Kenneth B. Raper. Dictyostelium deminutivum, a new cellular slime mold 49
Anderson, Neil A. See Eugenio and Anderson 627
Animal
  Blepharisma 149
  Carpophilus 637
  Chymomyza 637
  Daphnia 1072, 1075
  Dendroctonus 640
  Drosophila 361
  Ips 640
  Litargus 637
  Mytilus 1051
  nematode 789–799
  Pelomyxa 149
  Tamalia 149
  Tetrahymena 337

Annotated index of plant diseases in Canada and fungi recorded on plants in Alaska, Canada, and Greenland; review 222
Annual lectures. See Mycological Society of America.
Annual review of phytopathology; review 737
Annual Reviews, Inc. Annual review of phytopathology; review 737
Antibiotics; review 981
Antimicrobial agents and chemotherapy. 1966; citation 738
Antimycotic activity of fungi isolated from Hawaiian soils 559
Apparatus
  collection of soil cores 191
  fermentor vessel 346
  thin culture chamber 340
Artifacts on spores of Discineae induced by common reagents 723
Ascigerous stage of Blastomyces dermatitidis 76
Ascocarp development in two homothallic Neurosporas 16
Ascomycetes, Iceland 475
Ascospore, Hanseniaspora 604
Aspects of teliospore germination in some North American smut fungi. I. 231
Axenic growth, Dispira 915

Backus, M. P. See Nelson and Backus 16
———, and R. I. Evans. H. C. Greene (1904–1967); biography 994
Baker, Gerald M., and Philip F. Torchio. New records of Ascosphaera apis from North America 189
Baker, Gladys E. Fungi from the central Pacific region 196
———. See Blunt and Baker 559
Balek, Richard W. See Franke et al. 331
Ballistospore release 285
Barbeyella minutissima, a new record for the Western Hemisphere 708
Bark injuries, Ceratocystis 635
Barksdale, Alma W. [Review of] The impact of fungi on man 736
Barnett, H. L. The effects of light, pyridoxine and biotin on the development of the mycoparasite, Gonatobotryum fuscum 244
Barr, Margaret E., and Howard E. Bigelow. Martindalia unmasked 456
Barron, George L. The genera of hyphomycetes from soil; review 1249
Basidial cytology of Exidia nucleata 9
Batista, Augusto Chaves (1916–1967); biography 1137
Batra, Lekh R. [Review of] Endosymbiosis of animals with plant microorganisms 466
———. [Review of] The genus Helvella in Europe, with special emphasis on the species found in Norden 223
Baxter, John W. The species of Ravenelia occurring on Lonchocarpus 42
Benjamin, C. R. The changing face of mycology 1
Benjamin, Chester R. [Review of] The fungi 984
Benjamin, Richard K. The merosporangiferous Mucorales; review 472
Berry, R. A., and C. R. Maier. Loss by Chaetomium globosum and C. cochlioides of in vitro antagonism to Fusarium solani f. sp. phaseoli 457
Bibliotheca mycologica. Vols. I-IX; citation 989
Bicarbonate effect 698
Bigelow, Howard E. See Barr and Bigelow 456
———, and John R. Rowley. Surface replicas of the spores of fleshy fungi 869
Biochemistry of some foodborne microbial toxins; review 1133
Biographies
  Batista, Augusto Chaves 1137
  Edgerton, Claude Wilbur 739
  Greene, H. C. 994
  Smith, George 991
Biotin effect, Gonatobotryum 244
Bistis, G. N. Polarity in a dikaryotic hypha 712
———. [Review of] Genetics of fungi 1130
Bitancourt, A. A. See Jenkins and Bitancourt 719
Blunt, Frances L., and Gladys E. Baker. Antimycotic activity of fungi isolated from Hawaiian soils 559
Bollenbacher, Katharina. See Fulton and Bollenbacher 686
Bonar, Lee. Doassansia gossypii: a correction 710
Bonner, John T. The cellular slime molds; review 211
Books briefly noted 736, 1132, 1254
Books received 737, 989
Booth, Thomas, and Charles E. Miller. Comparative morphologic and taxonomic studies in the genus Thraustochytrium 480
Bostick, Linda. See Ajello et al. 1185

Bostick, P. E. Notes on fungi responsible for the decay of hickory nuts 978
Bracker, Charles E. The ultrastructure and development of sporangia in Gilbertella persicaria 1016
Brandsberg, John W., and Willard R. Piggott. A simple device for collecting soil cores for micro-biological studies 191
Brar, Shamsher S., C. S. Giam, and Willard A. Taber. Patterns of in vitro ergot alkaloid production by Claviceps paspali and their association with different growth rates 806
Bryophytes, Marchantia 1154
Bubble-theory of spore discharge 285
Buchner, Paul. Endosymbiosis of animals with plant microorganisms; review 466
Bünning, Erwin. The physiological clock; review 736
Burdsall, Harold H., Jr. A revision of the genus Hydnocystis (Tuberales) and of the hypogeous species of Geopora (Pezizales) 496
Burges, A., and F. Raw (eds.). Soil biology; review 1254
Burt, E. A.: types of Merulius 1211
Burt, Edward Angus. The Thelephoraceae of North America; review 214
Butler, E. E., and A. H. McCain. A new species of Stephanoma 955

Calcium effect on Phytophthora 1112
Calonge, F. D. Origin and development of intrahyphal hyphae in Sclerotinia fructigena 932
Campbell, R., R. W. Larner, and M. F. Madelin. Notes on an albino mutant of Alternaria brassicicola 1122
Campbell, W. A. See Hendrix and Campbell 802
Carbon effect 686
Carmichael, J. W. See Padhye and Carmichael 445
Carneiro, Luiz de Siqueira. Augusto Chaves Batista (1916–1967); biography 1137
Case against "uredium" 459
Castaner, David. A Conidiobolus-like fungus destroying nematodes in Iowa 440
Cavaliere, A. R. Marine fungi of Iceland: a preliminary account of Ascomycetes 475
Cavanaugh, Dan C. See Taylor et al. 450
Cellophane mounts of ascigerous states of dermatophytes and other keratinophilic fungi 1242
Cellular slime molds; review 211
Chaetomidium peruvianum sp. nov. 1118
Changing face of mycology 1
Charney, William, and Hershell L. Herzog. Microbial transformations of steroids; citation 737
Cheng, Shu-lan. See Ajello et al. 1185
Chiplonkar, Alaka. Spermatization in Elsinoe thirumalacharii 1098
Chlorosis-inducing agent 686
Christenson, John A. A cytological comparison of germinating aeciospores in the Cronartium coleosporioides complex 1169
Chronology of plant pathology; review 984
Ciliarieae 1240
Clark, J. See Collins and Clark 90
Cleistobombardia, a new cleistothecial genus in the family Sordariaceae 704
Clonally-produced plasmodia in heterothallic isolates of Didymium iridis 858
Cole, Garry T., and W. Bryce Kendrick. A thin culture chamber for time-lapse photomicrography of fungi at high magnifications 340
Coleman, David C. A method for intensity labelling of fungi for ecological studies 960
Collins, O'Neil Ray, and J. Clark. Genetics of plasmodial compatibility and heterokaryosis in Didymium iridis 90
———, and Hubert Ling. Clonally produced plasmodia in heterothallic isolates of Didymium iridis 858
Combs, T. J., J. J. Guarneri, and M. A. Pisano. The effect of sodium chloride on the lipid content and fatty acid composition of Candida albicans 1232
Comparative morphologic and taxonomic studies in the genus Thraustochytrium 480
Compatibility, plasmodial 90
Compilation of descriptions of new Penicillium species; review 1253
Conidial stage
  Dermea 718
  Lateropeltis 924
  Phyllachora 924
Conidial stage of Hypoxylon microplacum 973
Conidiobolus-like fungus destroying nematodes in Iowa 440
Conidium
  cytogenetics 999
  dual phenomenon 999
  Microsporum 999

morphology 290
Stemphylium 104
Conners, I. L. An annotated index of plant diseases in Canada and fungi recorded on plants in Alaska, Canada, and Greenland; review 222
Cooke, Wm. Bridge. The 1964 Colorado Foray 1093
———. See Tabak and Cooke 115
Coprophilous fungi 1086
Critical notes on genera of the Hemiphacidiaceae I. Gremmenia 526
Cryoprotection 622
Cultivation, Pleurotus 627
Culture
Claviceps 345
Dermatophyte 720
Temperature effect 613, 622
Culture preservation 399
cryoprotection 622
liquid nitrogen 591, 613
Cummins, George B. [Review of] Uredineana. Tome VI. 469
Cunningham, John L. Ontogeny of teliospores of Cronartium paraguayense and relationship to Didymopsora 769
Curtis, Dwayne H. Barbeyella minutissima, a new record for the Western Hemisphere 708
Cytogenetics of the conidium in Microsporum gypseum and of pleomorphism and the dual phenomenon in fungi 999
Cytological comparison of germinating aeciospores in the Cronartium coleosporioides complex 1169
Cytology
Catenaria 141
Clastoderma 426
Collybia 451
Exidia 9
Peridermium 437

Dann, Valerie. See Ingold and Dann 285
Davidson, Ross W. See DeVay et al. 635
Decay of hickory nuts 978
Decay of pine 29
Dermatophytes 1242
cultures 720
Descriptions of the nomenclatural types of Peniophoras described by Burt 827
DeVay, J. E., Ross W. Davidson, and W. J. Moller. New species of Ceratocystis associated with bark injuries on deciduous fruit trees 635
Dicionário Micológico; review 471
Dick, Esther A., and Walter H. Snell. Some boleti from Alaska 1204
Dicksonomyces based on a misdetermination 976
Dictyostelium deminutivum, a new cellular slime mold 49
Dietz, Alma. [Review of] Systematik der Streptomyceten unter besonderer Berücksichtigung der von ihnen gebildeten Antibiotica 1247
Directory of collections and list of species maintained in Australia 1966; review 736
Directory of collections and list of species maintained in New Zealand 1968; review 1254
Discineae 723
Discomycetes
coprophilous 1086
Idaho 1160
India 1086
Disease, fruit tree bark 635
Disinfection, sterilization, and preservation; citation 738
Dissing, Henry. The genus Helvella in Europe, with special emphasis on the species found in Norden; review 223
Distribution of the Acrasiae in Kansas grasslands 711
Doassansia gossypii: a correction 710
Dollahite, James W. See Taber et al. 727
Domnas, A. Refractory response of Blastocladiella emersonii to bicarbonate 698
Dual phenomenon 999
Duran, Ruben, and K. M. Safeeulla. Aspects of teliospore germination in some North American smut fungi. I. 231
Dynamic role of molecular constituents in plant-parasite interaction; review 734

Ecology of fungi; review 1134
Ecology, technique 960
Edgerton, Claude Wilbur; biography 739
Effect of calcium of mycelial growth of Phytophthora megasperma and P. cinnamomi 1112
Effect of sodium chloride on the lipid content and fatty acid composition of Candida albicans 1232
Effect of soil inoculation with Aspergillus flavus on the mycoflora of groundnut soil, rhizosphere and geocarposphere 908
Effect of some carbon sources on production of a chlorosis-inducing agent by Alternaria tenuis 686

Effects of light, pyridoxine and biotin on the development of the mycoparasite, Gonatobotryum fuscum 244
El-Ani, Arif S. The cytogenetics of the conidium in Microsporum gypseum and of pleomorphism and the dual phenomenon in fungi 999
Electron microscopy. See ultrastructure
Electrophoresis 331
Elements of cytogenetics; citation 989
Ellis, J. J., and Jane A. Roberson. Viability of fungus cultures preserved by lyophilization 399
Emmonsia brasiliensis and Emmonsia ciferrina are Chrysosporium pruinosum 445
Endosymbiosis of animals with plant microorganisms; review 466
Entoloma in southeastern North America; review 470
Erdos, Gregory W. See Schmitt and Erdos 1107
Ergosterol and substitutes for the ultraviolet radiation requirement for conidia formation in Stemphylium solani 104
Ergot 345
Ergot alkaloid production 806
Erwin, Donald C. The effect of calcium on mycelial growth of Phytophthora megasperma and P. cinnamoni 1112
Esser, Karl, and Rudolph Kuenen. Genetics of fungi; review 1130
Eugenio, Cesaria P., and Neil A. Anderson. The genetics and cultivation of Pleurotus ostreatus 627
Evans, R. I. See Backus and Evans 994
Experimental studies with a new species of Stigmatomyces (Laboulbeniales) 65

Farr, Marie L. The nomenclatural status and synonymy of Phyllachora bambusina, Lateropeltis bambusarum, and their conidial stages 924
Fatty acid composition, Candida 1232
Fatty acid effect, Cunninghamella 384
Fennell, Dorothy I. See Anderson et al. 49
Fergus, C. L. See Al-Hassan and Fergus 1243
Fidalgo, Maria Eneyda P. K. See Fidalgo and Fidalgo 471
Fidalgo, Oswaldo, and Maria Eneyda P. K. Fidalgo. Dicionário Micológico; review 471
Fields, William G. A new species of Sordaria 1117
Findlay, W. P. K. Wayside and Woodland fungi; review 987
Fluoreszierende Antikörper und ihre Anwendung in der Mikrobiology; review 1134
Forages 304
Forays. See Mycological Society of America forays.
Forest fungi; soil 642
Franke, Robert G., Richard W. Balek, and Louis P. Visentin. Taxonomic significance of isozyme patterns of some Myxomycetes, order Physarales, produced with starch gel electrophoresis 331
Fuller, Melvin S. [Review of] Fungi in the laboratory 227
———. See Ichida and Fuller 141
———. See Whisler and Fuller 1068
Fulton, N. D., and Katharina Bollenbacher. Effect of some carbon sources on production of a chlorosis-inducing agent by Alternaria tenuis 686
Fungal parasites of dwarf mistletoes 372
Fungi; review 984
Fungi from the central Pacific region 196
Fungi in the laboratory; review 227
Fungi isolated in culture from soils of the Sonoran Desert 356
Fungi of Delhi: IV. A new species of Piptocephalis from India 326
Fungicides: an advanced treatise. Vol. I; citation 737
Fungus spore; review 1134
Fungus spores from prehistoric potsherds 701
Furtado, João S. Basidial cytology of Exidia nucleata 9

Genera of hyphomycetes from soil; review 1249
Generic concepts, higher fungi 742
Genetics, Didymium 858
Genetics and cultivation of Pleurotus ostreatus 627
Genetics of fungi; review 1130
Genetics of plasmodial compatibility and heterokaryosis in Didymium iridis 90
Genus Helvella in Europe, with special emphasis on the species found in Norden; review 223
Genus Merulius I. Species proposed by Burt 1211
Geocarposphere 908
Gerdemann, J. W. See Nicolson and Gerdemann 313
Giam, C. S. See Brar et al. 806

Giese, Arthur C. (ed.). Photophysiology current topics. Vol. III; review 1134
Gilbertson, R. L., Frances F. Lombard, and T. E. Hinds. Veluticeps berkeleyi and its decay of pine in North America 29
Ginns, James H., Jr. The genus Merulius I. Species proposed by Burt 1211.
Glucose assimilation, Claviceps 345
Glucose effect on Candida 1107
Glucose respiration, Claviceps 345
Gochenaur, S. E. Chaetomidium peruvianum sp. nov. 1118
Gottlieb, David. [Review of] The dynamic role of molecular constituents in plant-parasite interaction 734
———, and Paul D. Shaw (ed.). Antibiotics; review 981.
———, and R. K. Tripathi. The physiology of swelling phase of spore germination in Penicillum atrovenetum 571
Goulden, M. L. See Hesseltine et al. 304
Greene, H. C.; biography 994
Gregory, P. H., and J. L. Monteith (eds.) Airborne microbes; review 212
Groves, J. Walton. Micropera boycei, the conidial state of Dermea pseudotsugae 718
———. Peziza viburni, a Eutrybli iella occurring on Ilex 1102
Growth, axenic 915
Growth and metabolism of fungi in an atmosphere of nitrogen 115
Growth rates, Claviceps 806
Grund, D. W., and D. E. Stuntz. Nova Scotian Inocybes. I. 406
Guarneri, J. J. See Combs et al. 1232.

Haard, Karen. Taxonomic studies on the genus Arthrobotrys Corda 1140
Hanlin, Richard T. [Review of] The genera of hyphomycetes from soil 1249
———. See Kulik and Hanlin 961
Hartman, Paul A. Miniaturized microbiological methods; review 1132
Hawaii, soil fungi 559
Hemiphacidiaceae 526
Hendrix, F. F., Jr., and W. A. Campbell. A new heterothallic Pythium from the United States and Canada 802
Hennig, Bruno. Michael-Henning Handbuch für Pilzfreunde Vol. 4; review 735
Her Majesty's Stationery Office. Directory of collections and list of species maintained in Australia 1966; review 736
Hesler, L. R. Entoloma in southeastern North America; review 470
Hess, W. M., M. M. A. Sassen, and C. C. Remsen. Surface characteristics of Penicillium conidia 290
Hesseltine, C. W. [Review of] The merosporangiferous Mucorales 472
———, O. L. Shotwell, M. L. Smith, G. M. Shannon, E. E. Vandegraft, and M. L. Goulden. Laboratory studies on the formation of aflatoxin in forages 304
Heterokaryosis, Didymium 90
Heterospermales 1240
Heterothallic fungi
Didymium 858
Pythium 802
Hinds, T. E. See Gilbertson et al. 29
Hiratsuka, Y., and P. J. Maruyama. Nuclear condition of the germ tubes of Peridermium ephedrae 437
Hobby, Gladys L. (ed.) Antimicrobial agents and chemotherapy. 1966; citation 738
Hofsten, Angelica v. See Tibell and Hofsten 553
Homosporales 1240
Homothallism, Neurospora 16
Howells, Ann. See Hwang and Howells 622
Huffman, Donald M. Meiotic behavior in the mushroom Collybia maculata var. scorzonerea 451
Hunter, Donald H. See Taylor et al 450
Hütter, Ralf. Systematik der Streptomyceten unter besonderer Berücksichtigung der von ihnen gebildeten Antibiotica; review 1247
Hwang, Shuh-wei. Investigation of ultra-low temperature for fungal cultures. I. An evaluation of liquid-nitrogen storage for preservation of selected fungal cultures 613
———, and Ann Howells. Investigation of ultra-low temperature for fungal cultures. II. Cryoprotection afforded by glycerol and dimethyl sulfoxide to 8 selected fungal cultures 622
Hypha
dikaryotic 712
intrahyphal 932
Hypogeous fungi 496

Iceland
Ascomycetes 475
marine fungi 475
Ichida, Allan A., and Melvin S. Fuller. Ultrastructure of mitosis in the aquatic fungus Catenaria anguillulae 141
Idaho discomycetes. I. A new genus of the Sarcoscyphaceae 1160
Iizuka, Hiroshi, and Atsushi Naito. Microbial transformation of steroids and alkaloids; citation 737
Impact of fungi on man; review 736
Index Nominum Genericorum Project; notice 473
India
discomycetes 1086
Myxomycetes 1080
new fungi 326
Influence of oils and sterols on sexual reproduction of species of Pythium 1243
Ingold, C. T., and Valerie Dann. Spore discharge in fungi under very high surrounding air-pressure, and the bubble-theory of ballistospore release 285
Inhibition
Cunninghamella 384
light 532
Interesting fungi of the St. Elias Mountains, Yukon Territory, and adjacent Alaska 1190
Investigation of ultra-low temperature for fungal cultures. I. An evaluation of liquid-nitrogen storage for preservation of selected fungal cultures 613; II. Cryoprotection afforded by glycerol and dimethyl sulfoxide to 8 selected fungal cultures 622
Iowa, nematode-destroying fungus 440
Isolation of Pithomyces chartarum in Texas 727
Isozyme patterns 331

Jenkins, Anna E., and A. A. Bitancourt. "Myriangiales Selecti Exsiccati," Fascicle II (Nos. 501–550) 719
Joffe, A. Z. The effect of soil inoculation with Aspergillus flavus on the mycoflora of groundnut soil, rhizosphere and geocarposphere 908
Johnson, G. T. See Lewis and Johnson 384
Jong, S. C., and J. D. Rogers. The conidial stage of Hypoxylon microplacum 973

Kansas, Acrasiae 711
Kar, A. K., and K. P. Pal. Peziza multiguttulata, a new name for Orbilia obscura 964
———, and ———. Some coprophilous discomycetes of eastern Himalaya (India) 1086
Karling, John S. Zoosporic fungi of Oceania. II. Two saprophytic species of Aphanomycopsis 271
Keeling, R. P. See Smith and Keeling 711
Kempton, Phyllis E. See Wells and Kempton 888
Kendrick, W. Bryce. See Cole and Kendrick 340
Keratinophilic fungi 1242
Keys
Arthrobotrys species in nematode-infested cultures 1149
Arthrobotrys species in pure culture 1148
Geopora hypogeous species 504
Hydnocystis species 504
Lamproderma species 766
Tylopilus species 954
Xeromphalina sections 159
Xeromphalina species 161
Xeromphalina sect Xeromphalina subsections 161
Xeromphalina subsect Cornuae species 180
Xeromphalina subsect Mutabiles species 175
Khanna, Asha, and M. M. Payak. Teliospore morphology of some smut fungi. II. Light microscopy 655
Kimbrough, James. [Review of] A world-monograph of the genera Ascobolus and Saccobolus (Ascomycetes, Pezizales) 1247
Kleine Kryptogamenflora, Band II/b2. Basidiomyceten II. Die Röhrlinge und Blätterpilze (Agaricales); review 1126
Koch, William J. Fungi in the laboratory; review 227
Kohlmeyer, Jan. Marine fungi from the tropics 252
Komarov Botanical Institute: 250 years of Russian research; citation 738
Korf, Richard P. [Review of] Pilzkunde 228
Kowalski, Donald T. Observations on the genus Lamproderma 756
———. Three new species of Diderma 595
Kramer, C. L., and S. M. Pady. Spore discharge in Hypocrea gelatinosa 208

———, and ———. Viability of airborne spores 448
Kreger-van Rij, N. J. W., and Donald G. Ahearn. Shape and structure of the ascospores of Hanseniaspora uvarum 604
Kuenen, Rudolph. See Esser and Kuenen 1130
Kulik, Martin M. A compilation of descriptions of new Penicillium species; review 1253
———, and Richard T. Hanlin. Osmophilic strains of some Aspergillus species 961
Kurtzman, Cletus P. Parasitism and axenic growth of Dispira cornuta 915

Laboratory studies on the formation of aflatoxin in forages 304
Laboulbeniales 65
Lachneae 1240
Lakhanpal, T. N. See Thind and Lakhanpal 1080
Larner, R. W. See Campbell et al. 1122
Larsen, M. J. See Pilley and Larsen 971
Larsen, Michael J. A new species of Pseudotomentella from North America 547
———. Notes on tomentelloid fungi I. Tomentella bourdotii in North America 1178
Lawrence, Carl A., and Seymour S. Block. Disinfection, sterilization, and preservation; citation 738
Leach, Charles M. An action spectrum for light inhibition of the "terminal phase" of photosporogenesis in the fungus Stemphylium botryosum 532
Lentz, Paul L. [Review of] The Thelephoraceae of North America 214
Lewis, Ann L. See McDonough and Lewis 76
Lewis, Harold L., and G. T. Johnson. Reversal of inhibition of endogenous respiration of Cunninghamella echinulata by intermediate-chain-length fatty acids 384
Liberta, Anthony E. Descriptions of the nomenclatural types of Peniophoras described by Burt 827
Lichen, Texosporium 553
Lichen genus Cladonia in North America; review 985
Lichen symbiosis; review 220
Lichtwardt, Robert W. [Review of] Dicionário Micológico 471
———. [Review of] Nomenclature of fungi pathogenic to man and animals 219
Light and fruiting in Didymium iridis 966
Light effect
Dacryopinax 902
Gonatobotryum 244
Light inhibition 532
Light microscopy 655
Lilly, Virgil G. See Vail and Lilly 902
Lim, G. A species of Poronia new to Malaya 464
Ling, Hubert. Light and fruiting in Didymium iridis 966
———. See Collins and Ling 858
Lipid content 1232
Liquid nitrogen storage of fungi sealed in a polyester film 591
Litter fungi 776
Location of carotenoid pigments and thickness of the cell wall in light- and dark-grown cells of Dacryopinax spathularia 902
Lombard, Frances F. See Gilbertson et al. 29
Loss by Chaetomium globosum and C. cochlioides of in vitro antagonism to Fusarium solani f. sp. phaseoli 457
Lowe, Edwin P. See Sinski et al. 444
Luttrell, E. S. [Review of] The lichen genus Cladonia in North America 985
Lyophilization 399

Madelin, M. F. (ed.). The fungus spore; review 1134
———. See Campbell et al. 1122
Maier, C. R. See Berry and Maier 457
Malaya, Poronia 464
Maniotis, James, and Joseph W. Strain. Wiesneriomyces javanicus from Panamanian soil 203
Manual of penicillia; review 1254
Marine fungi of Iceland: a preliminary account of Ascomycetes 475
Marine fungi from the tropics 252
Martindalia unmasked 456
Maruyama, P. J. See Hiratsuka and Maruyama 437
Matales, Richard I., and Gerald N. Wogan (eds.). Biochemistry of some foodborne microbial toxins; review 1133
McCain, A. H. See Butler and McCain 955
McDonough, E. S., and Ann L. Lewis. The ascigerous stage of Blastomyces dermatitidis 76

McKnight, Kent H. Artifacts on spores of Discineae induced by common reagents 723
McManus, Sister M. A., and L. E. Roth. Ultrastructure of the somatic nuclear division in the plasmodium of the myxomycete Clastoderma debaryanum 426
Medical mycology 1185
Mehrotra, B. S. The Fungi; review 984
Meiotic behavior in the mushroom Collybia maculata var. scorzonerea 451
Melendez-Howell, Leda-Maria. Recherches sur le pore germinatif des basidiospores; review 988
Merosporangiferous Mucorales; review 472
Metabolism 115
Method for intensity labelling of fungi for ecological studies 960
Methods. See Techniques.
Michael-Henning Handbuch für Pilzfreunde Vol. 4; review 735
Microbial technology; review 1133
Microbial transformations of steroids. A handbook; citation 737
Microbial transformation of steroids and alkaloids; citation 737
Micropera boycei, the conidial state of Dermea pseudotsugae 718
Miller, Charles E. See Booth and Miller 480
Miller, M. W. See Pitt and Miller 663
Miller, Orson K., Jr. Interesting fungi of the St. Elias Mountains, Yukon Territory, and adjacent Alaska 1190
———. [Review of] Entoloma in southeastern North America 470
——. A revision of the genus Xeromphalina 156
Miniaturized microbiological methods; review 1132
Mirocha, C. J., and I. Uritani (eds.). The dynamic role of molecular constituents in plant-parasite interaction; review 734
Mirza, J. H. Cleistobombardia, a new cleistothecial genus in the family Sordariaceae 704
———. Urocystis dioscoreae from West Pakistan 439
Mistletoe, fungal parasites 372
Mitosis, Catenaria 141
Moller, W. J. See DeVay et al. 635
Monoson, Herbert L. Trapping effectiveness of five species of nematophagous fungi cultured with mycophagous nematodes 788
Monteith, J. L. See Gregory and Monteith 212
Morphology
  Amoebidium 1068
  dasidiospores 869
  Catenaria 141
  conidium 290
  Dacryopinax 902
  Elsinoe 1098
  Gnomonia 84
  Hanseniaspora 604
  Neurospora 16
  Sclerotinia 932
  teliospore 655
  Thraustochytrium 480
Morrall, R. A. A., and T. C. Vanterpool. The soil microfungi of upland boreal forest at Candle Lake, Saskatchewan 642
Moser, Meinhard. Kleine Krytogamenflora, Band II/b2. Basidiomyceten II. Die Röhrlinge und Blätterpilze (Agaricales); review 1126
Mukerji, K. G. Fungi of Delhi: IV. A new species of Piptocephalis from India 326
Mushroom science VI; citation 989
Mushrooms and other common fungi of southern California; review 1253
Mushrooms in their natural habitats; review 1135
Mutation, Alternaria 1122
Mycoflora, groundnut soil 908
Mycologia—financial report 1256
Mycological Society of America
  annual lectures
    Smith, A. H. 742
  forays
    1964, Col. 1093
  presidential address
    Benjamin, C. R. 1
Mycologists, portraits
  Batista, Augusto Chaves 1138
  Benjamin, Chester R. frontisp
  Edgerton, Claude Wilbur 740
  Greene, Henry C. 995
  Smith, George 992
Mycoparasite, Gonatobotryum 244
Mycophagous nematodes 788
Mycorrhizal Endogone species 313
"Myriangiales Selecti Exsiccati," Fascicle II (Nos. 501–550) 719
Myxomycetes 331
Myxomycetes of India—XXII 1080

Neely, Dan. The somatic pressure cushion of Gnomonia platani 84
Nelson, A. C., and M. P. Backus. Ascocarp development in two homothallic Neurosporas 16
Nematode-trapping fungi 440, 788
Nematodes. See Animals.
Nematophagous fungi 788
New chytrid with aerial sporangia 730

New heterothallic Pythium from the United States and Canada 802
New records of Ascosphaera apis from North America 189
New species of Ceratocystis associated with bark injuries on deciduous fruit trees 635
New species of Pseudotomentella from North America 547
New species of Sordaria 1117
New species of Stephanoma 955
Nicholson, T. H., and J. W. Gerdemann Mycorrhizal Endogone species 313
Nitrogen storage 591, 613
Nomenclatural note—the names Homospermales, Heterospermales, Ciliarieae and Lachneae 1240
Nomenclatural status and synonymy of Phyllachora bambusina, Lateropeltis bambusarum, and their conidial stages 924
Nomenclature of fungi pathogenic to man and animals; review 219
North America
  Ascosphaera 189
  Pseudotomentella 547
  tomentelloid fungi 1178
  Ustilaginales 231
  Veluticeps 29
Notes on an albino mutant of Alternaria brassicicola 1122
Notes on Boletes—I. 1. The generic position of Boletus subglabripes and Boletes chromapes. 2. A comparison of four species of Tylopilus 943
Notes on Brevilegnia gracilis and Brevilegnia macrospora 193
Notes on fungi responsible for the decay of hickory nuts 978
Notes on tomentelloid fungi. I. Tomentella bourdotii in North America 1178
Notices:
  Index Nominum Genericorum Project 473
  Symposium on fungi 473
Nova Scotian Inocybes. I. 406
Novak, R. O., and W. F. Whittingham. Soil and litter microfungi of a maple-elm-ash flood-plain community 776
Nuclear condition of the germ tubes of Peridermium ephedrae 437

Observations on the genus Lamproderma 756
Oceania, zoosporic fungi 271
Oil effect, Pythium 1243
Olive, Lindsay S. See Voos and Olive 730
Ontogeny of teliospores of Cronartium paraguayense and relationship to Didymopsora 769
Origin and development of intrahyphal hyphae in Sclerotinia fructigena 932
Orr, Dorothy B. See Orr and Orr 1253
Orr, Robert T., and Dorothy B. Orr. Mushrooms and other common fungi of southern California; review 1253
Osmophilic strains of some Aspergillus species 961

Paden, J. W., and E. E. Tylutki. Idaho discomycetes. I. A new genus of the Sarcoscyphaceae 1160
Padhye, A. A. Cellophane mounts of ascigerous states of dermatophytes and other keratinophilic fungi 1242
———, and J. W. Carmichael. Emmonsia brasiliensis and Emmonsia ciferrina are Chrysosporium pruinosum 445
Pady, S. M. [Review of] Airborne microbes 212
———. See Kramer and Pady 208, 448
Pakistan, Urocystis 439
Pal, K. P. See Kar and Pal 964, 1086
Panama, Wiesneriomyces 203
Pant, D. C., and V. P. Tewari. Nomenclatural note—the names Homospermales, Heterospermales, Ciliarieae and Lachneae 1240
Parasitism and axenic growth of Dispira cornuta 915
Parris, G. K. A chronology of plant pathology; review 984
Patterns of in vitro ergot alkaloid production by Claviceps paspali and their association with different growth rates 806
Payak, M. M. See Khanna and Payak 655
Peppler, Henry J. (ed.). Microbial technology; review 1133
Perfect stage, Blastomyces 76
Pettit, Robert E. See Taber et al. 727
Peziza multiguttulata, a new name for Orbilia obscura 964
Peziza viburni. a Eutryblidiella occurring on Ilex 1102
Pezizales 496
Photography 340
Photophysiology current topics. Vol. III; review 1134
Photosporogenesis 532
Physarales 331
Physiological clock; review 736
Physiology
  Claviceps 806

Dacryopinax 902
Didymium 966
Dispira 915
Physiology of swelling phase of spore germination in Penicillium atrovenetum 571
Piggott, Willard R. See Brandsberg and Piggott 191
Pigment, carotenoid 902
Pilley, P. G., and M. J. Larsen. Addendum Hemimyriangium betulae 971
Pilzkunde; review 228
Pirone, P. P. [Review of] A chronology of plant pathology 984
Pirozynski, K. A. See Reid and Pirozynski 526
Pisano, M. A. See Combs et al. 1232
Pitt, J. I., and M. W. Miller. Sporulation in Candida pulcherrima, Candida reukaufii and Chlamydozyma species: their relationships with Metschnikowia 663
Plasmodium
Clastoderma 426
compatibility 90
Didymium 858
Plasmolytic effects of glucose and sucrose on cells of Candida albicans 1107
Pleomorphism 999
Polarity in a dikaryotic hypha 712
Polynema, an earlier name for Neobarclaya 201
Pomerleau, René. [Review of] Kleine Kryptogamenflora, Band II/b2. Basidiomyceten II. Die Röhrlinge und Blätterpilze (Agaricales) 1126
Portraits of mycologists. See Mycologists, portraits.
Predaceous fungi 788, 1140
Preliminary observations on the holdfast of Amoebidium parasiticum 1068
Pyridoxine effect, Gonatobotryum 244

Rangaswami, G. Agricultural microbiology; review 737
Ranzoni, Francis V. Fungi isolated in culture from soils of the Sonoran Desert 356
Raper, Kenneth B. [Review of] The cellular slime molds 211
———. See Anderson et al. 49
———, and Charles Thom. A manual of penicillia; review 1254
Raw, F. See Burges and Raw 1254
Recherches sur le pore germinatif des basidiospores; review 988
Refractory response of Blastocladiella emersonii to bicarbonate 698
Reid, James, and K. A. Pirozynski. Critical notes on genera of the Hemiphacidiaceae I. Gremmenia 526
Relationship of Trichophyton quinckeanum to Trichophyton mentagrophytes 1185
Remsen, C. C. See Hess et al. 290
Reprinted books available 738, 990
Respiration, Cunninghamella 384
Response of selected fungi to acenaphthene 692
Reversal of inhibition of endogenous respiration of Cunninghamella echinulata by intermediate-chain-length fatty acids 384
Review of applied mycology. Plant host-pathogen index to Volumes 1–40 (1922–1961); citation 989
Reviews 211, 473, 981, 1126, 1247
Revision of the genus Hydnocystis (Tuberales) and of the hypogeous species of Geopora (Pezizales) 496
Revision of the genus Xeromphalina 156
Rhizosphere 908
Roberson, Jane A. See Ellis and Roberson 399
Robertson, William. See Stewart and Robertson 701
Robinson, R. K. Ecology of fungi; review 1134
Rogers, J. D. See Jong and Rogers 973
Rogerson, Clark T. [Review of] Michael-Henning Handbuch für Pilzfreunde Vol. 4 735
———. [Review of] Mushrooms and other common fungi of southern California 1253
———. [Review of] Wayside and woodland fungi 987
Romagnesi, Henri. Les Russules d'Europe et d'Afrique du Nord; review 1127
Roth, L. E. See McMannus and Roth 426
Rowley, John R. See Bigelow and Rowley 869
Russules d'Europe et d'Afrique du Nord; review 1127

Safeeulla, K. M. See Duran and Safeeulla 231
Sarcoscyphaceae 1160–1168
Saskatchewan, soil fungi 642
Sassen, M. M. A. See Hess et al. 290
Savile, D. B. O. The case against "uredium" 459
Schmitt, John A., and Gregory W. Erdos. Plasmolytic effects of glucose and sucrose on cells of Candida albicans 1107
Scientific contributions of Selman A. Waksman; review 1255

Setlow, Richard B. See Sproston and Setlow 104
Shaffer, Robert L. [Review of] Recherches sur le pore germinatif des basidiospores 988
Shannon, G. M. See Hesseltine et al. 304
Shape and structure of the ascospores of Hanseniaspora uvarum 604
Shaw, C. Gardner. See Wicker and Shaw 372
Shetler, Stanwyn G. The Komarov Botanical Institute: 250 years of Russian research; citation 738
Shotwell, O. L. See Hesseltine et al. 304
Simple device for collecting soil cores for microbiological studies 191
Simultaneous assimilation and respiration of exogenous 2, 3-^{14}C-succinate and exogenous glucose by ergot alkaloid producing cultures of Claviceps purpurea 345
Singer, Rolf. [Review of] Les Russules d'Europe et d'Afrique du Nord 1127
Sinski, James T., Francis X. Smith, and Edwin P. Lowe. Survival of dry Coccidioides immitis at 4 C for five years 444
Slime molds, cellular, Dictyostelium 49
Smith, Alexander H. Mushrooms in their natural habitats; review 1135
———. Speciation in higher fungi in relation to modern generic concepts 742
———, and Harry D. Thiers. Notes on Boletes—I. 1. The generic position of Boletus subglabripes and Boletus chromapes. 2. A comparison of four species of Tylopilus 943
Smith, Francis X. See Sinski et al. 444
Smith, George; biography 991
Smith, Karen L., and R. P. Keeling. Distribution of the Acrasiae in Kansas grasslands 711
Smith, M. L. See Hesseltine et al. 304
Smut fungi 231
teliospore morphology 655
Snell, Walter H. See Dick and Snell 1204
Sodium chloride effect, Candida 1232
Soil biology; review 1254
Soil and litter microfungi of a maple-elm-ash floodplain community 776
Soil fungi 356; 908
Hawaii 559
Wiesneriomyces 203
Soil microfungi of upland boreal forest at Candle Lake, Saskatchewan 642
Somatic pressure cushion of Gnomonia platani 84
Some boleti from Alaska 1204
Some coprophilous discomycetes of eastern Himalaya (India) 1086
Sordariaceae 704
Sorenson, W. G. Notes on Brevilegnia gracilis and Brevilegnia macrospora 193
Speciation in higher fungi in relation to modern generic concepts 742
Species of Poronia new to Malaya 464
Species of Ravenelia occurring on Lonchocarpus 42
Spermatization in Elsinoe thirumalacharii 1098
Spermatophytes
Abies 373, 414, 643, 648, 1093, 1163, 1205
Acacia 358, 359
Acer 777
Andropogon 712
Arachis 908
Arceuthobium 372
Arisaema 777
Artemisia 1190
Atriplex 358, 359
Betula 643, 648, 1210
Brassaia 197
Carnegia 358
Carya 978
Cattleya 956, 958
Cercidium 358, 359
Ciliaria 1241
Cirsium 190
Claytonia 744
Collinsia 334
Crataegus 745
Dryas 1191, 1193
Encelia 358, 359
Ephedra 359
Erianthus 198
Fagus 421
Fouquieria 358, 359
Franseria 358, 359
Fraxinus 777
Impatiens 777
Lachnaea 1241
Lachnea 1241
Laportea 777
Larix 648, 894
Larrea 358, 359
Lemaireocereus 358
Liquidambar 484, 485, 489–492
Olneya 358, 359
Opuntia 197, 358, 359
Parthenocissus 777
Picea 373, 643, 648, 895, 1093, 1190
Pinus 373, 643, 648, 946
Pluchea 358
Populus 643, 648, 1093, 1190, 1209
Prosopis 358, 359
Pseudotsuga 373, 485, 1163

Quercus 777
Rhus 777
Salix 1093
Schinus 197
Simmondsia 359
Sporobolus 712
Tamarix 358
Thuja 1163
Tilia 777
Tsuga 417, 895, 1163, 1205
Ulmus 777
Vaccinium 1093
Viburnum 1106
Viola 777
Vitis 777
Zostera 481
Sporangium
aerial 730
Gilbertella 1016
morphology 1016
Spore discharge in fungi under very high surrounding air-pressure, and the bubble-theory of ballistospore release 285
Spore discharge in Hypocrea gelatinosa 208
Spore evolution of the lichen Texosporium sanctijacobi (= Cyphelium sancti-jacobi) 553
Spore germination 571
Spores, airborne 448
Sporulation in Candida pulcherrima, Candida reukaufii and Chlamydozyma species: their relationships with Metschnikowia 663
Sproston, Thomas, and Richard B. Setlow. Ergosterol and substitutes for the ultraviolet radiation requirement for conidia formation in Stemphylium solani 104
Starch gel electrophoresis 331
Sterol effect, Pythium 1243
Stevenson, John A. [Review of] An annotated index of plant diseases in Canada and fungi recorded on plants in Alaska, Canada, and Greenland 222
Stewart, Robert B., and William Robertson. Fungus spores from prehistoric potsherds 701
Strain, Joseph W. See Maniotis and Strain 203
Studies on the fleshy fungi of Alaska. II 888
Stuntz, D. E. See Grund and Stuntz 406
Substrates, unusual
potsherds, prehistoric 701
Sucrose effect on Candida 1107
Surface characteristics of Penicillium conidia 290
Surface replicas of the spores of fleshy fungi 869
Survival of dermatophyte cultures maintained on hair 720
Survival of dry Coccidioides immitis at 4 C for five years 444
Sutton, Brian C. Polynema, an earlier name for Neobarclaya 201
Symposium on fungi; notice 473
Systematik der Streptomyceten unter besonderer Berücksichtigung der von ihnen gebildeten Antibiotica; review 1247

Tabak, Henry H., and Wm. Bridge Cooke. Growth and metabolism of fungi in an atmosphere of nitrogen 115
Taber, Ruth Ann, Robert E. Pettit, Willard A. Taber, and James W. Dollahite. Isolation of Pithomyces chartarum in Texas 727
Taber, Willard A. [Review of] Antibiotics 981
———. See Brar et al. 806
———. See Taber et al. 727
———. Simultaneous assimilation and respiration of exogenous 2, 3-^{14}C-succinate and exogenous glucose by ergot alkaloid producing cultures of Claviceps purpurea 345
———, and Ruth Ann Taber. The impact of fungi on man; review 736
Taxonomic significance of isozyme patterns of some Myxomycetes, order Physarales, produced with starch gel electrophoresis 331
Taxonomic studies on the genus Arthrobotrys Corda 1140
Taxonomy, Thraustochytrium 480
Taylor, Robert L., Dan C. Cavanaugh, and Donald H. Hunter. Adiaspiromycosis in small mammals of Viet Nam 450
Techniques
cellophane mount 1242
dimethyl sulfoxide freezing 622
glycerol freezing 622
intensity labelling 960
nitrogen storage 591, 613
polyester film 591
surface replicas of spores 869
Teliospore
germination 231
ontogeny 769
Teliospore morphology of some smut fungi. II. Light microscopy 655
Temperature effect, culture 613, 622
Terms
cisterna 1019
cleavage vesicle 1019
uredium 459

Tewari, V. P. See Pant and Tewari 1240
Tews, Leonard L. The response of selected fungi to acenaphthene 692
Texas, Pithomyces 727
Thelephoraceae of North America; review 214
Thiers, Harry D. See Smith and Thiers 943
Thin culture chamber for time-lapse photomicrography of fungi at high magnifications 340
Thind, K. S., and T. N. Lakhanpal. The Myxomycetes of India—XXII 1080
Thom, Charles. See Raper and Thom 1254
Thomson, John W. The lichen genus Cladonia in North America; review 985
Three new species of Diderma 595
Tibell, Leif, and Angelica v. Hofsten. Spore evolution of the lichen Texosporium sancti-jacobi (=Cyphelium sancti-jacobi) 553
Tomentelloid fungi 1178
Torchio, Philip F. See Baker and Torchio 189
Torgeson, Dewayne C. (ed.) Fungicides: an advanced treatise. Vol. 1; citation 737
Trapping effectiveness of five species of nematophagous fungi cultured with mycophagous nematodes 788
Trichomycetes 1068
Tripathi, R. K. See Gottlieb and Tripathi 571
Tuberales 496
Tuite, John. Liquid nitrogen storage of fungi sealed in a polyster film 591
Tylutki, E. E. See Paden and Tylutki 1160
Type studies, Peniophora 827

Ultrastructure 426
  Alternaria 1122
  Amoebidium 1068
  Penicillium 290
Ultrastructure and development of sporangia in Gilbertella persicaria 1016
Ultrastructure of mitosis in the aquatic fungus Catenaria anguillulae 141
Ultrastructure of the somatic nuclear division in the plasmodium of the myxomycete Clastoderma debaryanum 426
Ultraviolet radiation, Stemphylium 104
Umbreit, Wayne W. (ed.) Advances in applied microbiology. Vol. 9; citation 738
Uredineana. Tome VI; review 469
Urocystis dioscoreae from West Pakistan 439
Ustilaginales 231
Vail, William J., and Virgil G. Lilly. The location of carotenoid pigments and thickness of the cell wall in light- and dark-grown cells of Dacryopinax spathularia 902
van Brummelen, J. A world-monograph of the genera Ascobolus and Saccobolus (Ascomycetes, Pezizales); review 1247
Vandegraft, E. E. See Hesseltine et al. 304
Vanterpool, T. C. See Morrall and Vanterpool 642
Veluticeps berkeleyi and its decay of pine in North America 29
Viability of airborne spores 448
Viability of fungus cultures preserved by lyophilization 399
Viet Nam, Emmonsia 450
Visentin, Louis P. See Franke et al. 331
von Arx, J. A. Pilzkunde; review 228
Voos, Jane Rhein, and Lindsay S. Olive. A new chytrid with aerial sporangia 730

Wagner, Manfred. Fluoreszierende Antikörper und ihre Anwendung in der Mikrobiologie; review 1134
Waterhouse, Grace M. Dicksonomyces based on a misdetermination 976
Wayside and woodland fungi; review 987
Wells, Virginia L., and Phyllis E. Kempton. Studies on the fleshy fungi of Alaska. II 888
Wetmore, Clifford M. [Review of] The lichen symbiosis 220
Wheeler, Harry. Claude Wilbur Edgerton (1880–1965); biography 739
Whisler, Howard C. Experimental studies with a new species of Stigmatomyces (Laboulbeniales) 65
———, and Melvin S. Fuller. Preliminary observations on the holdfast of Amoebidium parasiticum 1068
Whittingham, W. F. See Novak and Whittingham 776
Wicker, Ed. F., and C. Gardner Shaw. Fungal parasites of dwarf mistletoes 372
Wiesneriomyces javanicus from Panamanian soil 203
Wilson, G. B. The elements of cytogenetics; citation 989
Woodruff, H. Boyd (ed.). Scientific

contributions of Selman A. Waksman; review 1255
World-monograph of the genera Ascobolus and Saccobolus (Ascomycetes, Pezizales); review 1247
Yukon fungi 1190
Zoosporic fungi of Oceania. II. Two saprophytic species of Aphanomycopsis 271

FUNGOUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa and the pages where they are published are in **bold-face type.** An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

Absidia 650; butleri 563; capillata 910; coerulea 400; cylindrospora 400, 404; glauca 400, 404; lichtheimi 910; spinosa 400, 782, 910
Acarospora chlorophana 1097; schleicheri 1097
Achlya 271, 281; androcomposita *281;* bisexualis 695; debaryana var intermedia *281;* flagellata 281; var yezeonsis *281;* imperfecta *281;* prolifera *279*
Achorion quinckeanum 1188
Acolium sancti-jacobi *557*
Acrophialophora nainiana 367
Acrostalagmus albus 567
Acrostaphylus 975
Actinoplanes philippinensis 701
Acytostelium leptosomum 52
Aecidium 460
Aerobacter aerogenes 52, 54, 332, 334, 967
Agaricus campanella *162;* campanulatus *1201;* pictus *173;* pyxidatus *1199;* rhabarbarinus *186;* rheicolor *186;* semiovatus *1202;* tenuipes *186*
Agostaea 720
Ajellomyces 77–81; **dermatitidis** 77–82, f 78, f 80
Albugo 145; bliti 143; candida 141
Alectoria minuscula 1097
Aleurisma carnis 567
Allomyces 145, 1112; arbuscula 141; macrogynus 141
Alternaria 448, 449, 533, 534, 702, 728, 910, 1122; brassicae var dauci 533; brassicicola 1122–1125, f 1123; cheirianthi 368; consortiale 368, 567; dauci 107, 533, 534; dendritica 368; geophila 910; grisea 910; humicola 695, 910; oleracea 1122; radicina 368; solani 533, 534, 543, 544; tenuis 368, 647, 686–691, 783, 786, 910, 1122; tenuissima 368, 370; tomato 533, 534, 543, 544
Amanita muscaria 1095
Amanitopsis vaginata 616
Amoebidium 1069, 1071, 1078; parasiticum 1068–1079, f 1070, f 1072, f 1073, f 1074, f 1077
Amphisphaeria maritima 476
Amylocorticium 827–829
Anellaria 1202
Antennospora 257; caribbea 252, 257; quadricornuta 258
Anthomyces reukaufii 664, 683
Anthracoidea elvnae 1095
Aphanomyces 271, 272, 278, 281, 282; daphniae *272;* laevis *272;* var keratinophilus 281; patersonii *272*
Aphanomycopsis 271–284; bacillariacearum 272, 282; desmidiella 272, 278, 282; **punctatus 273,** f 276, 278; **saprophyticus 273,** f 274, 275, 278
Aplanes 272, 281
Apodachlya pyrifera 281
Arachniotus candidus 364; terrestris 364
Arachnopeziza aurata 617
Arenariomyces *262;* cinctus *262;* salinus *262*
Armillaria mellea 143, 456, 616, 744
Arrhenia 1196; auriscalpium 1193, f 1193, f 1194
Arthrobotrys 646, 796, 1140–1159, f 1143, f 1145; anchonia 1146–1149, 1154; arthrobotryoides f 1143, f 1145, 1146–1151, 1155; cladodes 1146–1151; var cladodes f 1145, 1152; var macroides f 1145, 1151, 1152; conoides f 1143, f 1145, 1146–1153; dactyloides 789–800, f 1143, f 1145, 1146–1149, 1153, 1154; deflectans 1158; dolioformis 1146–1151; drechsleri *1157;* entomopaga 1145–1149, 1155; kirghizica 1151, 1158; longispora 1140, 1158; musiformis 789–800, f 1143, f 1145, 1146–1149, 1154, 1155; oligo-

spora 789–800, 1141, f 1145, 1146–1150, 1153–1156; oviformis 1146–1151; recta 1141, 1158; robusta f 1145, 1146–1149, 1155, 1156; rosea *1155*, 1156; staminicola 1158; stilbacea 1158; strangulans 1158; superba 1140–1149, f 1143, f 1145, 1153, 1157; var irregularis *1149*, 1150; var oligospora *1155*
Arthroderma 1186, f 1187, 1188, 1242; benhamiae 1185, f 1187, 1187, 1888
Ascobolus 1086; lignatilis 1089, f 1090
Ascochyta 567
Ascodesmis microscopica 695
Ascophanus 1086; striatus f 1090, 1091
Ascosphaera 189; apis 189, 190; var apis 189; var major 189
Aspergillus 128, 300, 301, 305, 332, 370, 399, 401, 565, 650, 961–964; alliaceus 197; amstelodami 400, 910, 962, 963; awamori 364, 564; brevipes 564; caespitosa 364; candidus 400, 564, 910; carbonarius 400; carneus 364, 400, 564; cervinus 400; chevalieri 400, 910, 962; var intermedius 401; clavatus 401, 910; echinulatus 401; fischeri 401, 910; flavipes 401, 404, 564, 910; flavus 4, 304, 305, 310, 311, 364, 401, 404, 564, 727, 908–914, 962, 963; foetidus 910; fumigatus 119, 122–125, 130–134, 137, 364, 370, 401, 561–564, 569, 780–783, 910; giganteus 401; glaucus 401, 963; gracilis 401; granulosus 910; kanagawaensis 695; mangini 401; melleus 401, 910; montevidensis 401; nidulans 364, 401, 910, 912, 1000; var echinulatus 300, 564; var latus 365; niger 119, 122–125, 130–134, 137, 364, 384, 401, 404, 564, 589, 593, 617. 780, 910–913, 932, 937, 962, 963, 1112; niveo-glaucus 401; niveus 401, 910; ochraceus 365, 401, 564, 565, 910, 962, 963; ornatus 782; oryzae 401, 568, 589, 1115; var effusus 401, 564; panamensis 910; parasiticus 305, 962, 963; phoenicis 401; pseudoglaucus 401; quadrilineatus 401; repens 365, 401, 593, 910, 963; restrictus 401; ruber 401, 564, 593, 963; rugulosus 401; sclerotiorum 910; sulphureus 401, 564, 565, 910–912; sydowi 365, 401, 564, 568, 910; tamarii 401, 910; terreus 365, 401, 564, 780, 910, 912, 962, 963; terricola 401; umbrosus 401; unguis 401; ustus 401, 564, 568, 910–913; variecolor 402; versicolor 365, 402, 910, 912; violaceus 564; wentii 365, 402, 910
Asteridium 929, 930; bambusellum 924, 928, 929, f 929
Astromella phaseoli 366
Athelia 827, 829, 1217; borealis 1215
Aureobasidium pullulans 119, 122, 123, 128–134, 137, 367
Auricularia auricula 616, 1095

Bacillus megaterium 52, 57; subtilis 52
Badhamia 757; ovispora 1094; utricularis 426
Barbeyella minutissima 708–710, f 709
Barclayella *203*; primaria *203*
Basidiobolus haptosporus 617; meritosporus 617; microsporus 617
Basidiobotrys 975
Basidiophora 977
Beauveria 647; bassiana 367, 780
Berggrenia 499; aurantiaca var cyclospora 520, *521*; cyclospora 521
Bifusella abietis 1095
Bitancourtia 720
Blakeslea trispora 1043
Blastocladiella emersonii 698–701, f 699
Blastomyces dermatitidis 76–83
Bolbitius tener 616
Boletellus chrysenteroides 947, 953
Boletinus 750
Boletus 616, 749–751, 944, 1097; affinis 945; calopus 752, 753, 1205; chromapes 943–*948*–949; chrysenteroides 950; **coniferarum 1205**; edulis 745, 746, 1095; subsp clavipes 745, 1204; subsp pinicola 745; subsp reticulatus 745; subsp separans 745; erythropus 947; fumosipes *950*–953; illudens 947; longicurvipes 949; nebulosus 953; piperatus 947; pseudoscaber *950*; rubropunctus 944, 949; sordidus *950*, 951; subglabripes 943–949; subtomentosus 947; subvelutipes 947; umbrosus *950*, 951
Bombardia 24, 26, 704; lunata 25
Boothiella 707
Botryophialophora maritima 367
Botryotrichum 567; piluliferum 910
Botrytis 367; cinerea 367, 593, 1096; terrestris 367
Bovista 617, 619, 623, 625; plumbea 1095
Brevilegnia 193–195; gracilis 193–196, f 194; macrospora 193–196
Broomella guaranitica 926
Brunchorstia 719; gibbosa *718*, 719; boycei *718*, 719
Byssochlamys 402; nivea 364, 402, 695

Caeoma 460
Calcarisporium parasiticum 250
Calocera cornea 616; viscosa 289
Calonectria guaranitica 926
Caloplaca epithallina 1097
Calvatia caelata 617; craniiformis 617; cyathiformis 617; gigantea 617, 619, 623, 625

Calyptospora goeppertianum 1095
Camarosporium laburni 366; tricyclinum 366
Candelabrella 1141, 1155; javanica 1155; musiformis *1154*
Candida 367, 664–667, 678, 780, 782, 1237; albicans 367, 369, 561, 563, 569, 1107–1112, f 1109, f 1110, 1232–1239; parapsilosis 119–125, 128–137; pulcherrima 663–685; reukaufii 663–685
Cantharellus auriscalpium *1193;* floccosus 883, f 885; lobatus *1194;* multiplex 1095
Catenaria anguillulae 141–155, f 143–f 154
Caulochytrium 731; gloeosporii 731, f 732
Cenangella 1103; oricostata 1095; ravenelii *1104*
Cenangium 1102; ferruginosum 1102; pinastri 1102; viburni *1104*
Cephalosporium 367, 568, 646, 647, 783; acremonium 367, 695, 910; asperum 367; cordoniformis 367; curtipes 367; humicola 367; roseo-griseum 367, 567
Cephalothecium 1150; roseum var arthrobotryoides *1149,* 1150
Ceratocystis 244, 635–641, 932; abiocarpa 1095; **alba 636**–640, f 638, f 639; **californica 639,** f 639, 640; fagacearum 84, 88, 245; fimbriata 635–637; leucocarpa 638; minuta 638, 640, 1095; olivacea 1095; pluriannulata f 639, 640; radicicola 1013; ulmi 932
Cercospora 448, 449
Cercosporella trollii 1096
Ceriosporella 478; calyptrata 478
Ceriosporopsis calyptrata 478; halima 477–479
Cetraria cucullata 1097; ericetorum 1097; islandica 1097; nivalis 1097; pinastri 1097; tilesii 1097
Chaetoceratostoma 196
Chaetocladium brefeldii 400
Chaetomella brachyspora 366; raphigera 199, 366
Chaetomidium 707, 1118, 1121; **peruvianum 1118**–1122, f 1120; phyllactineum 1121
Chaetomium 197, 365, 457, 458, 563, 565, 593, 707; anguipilium 365; aureum 365; brasiliensis 1112; causiaeformis 563; cochlioides 365, 457–459; convolutum 365; elatum 365; fibripilium 365; flavum 365; fusiforme 365; gelasinosporum 301; globosum 365, 457–459, 563, 1112; longirostre 196; megalocarpum 365; olivaceum 365; perlucidum 365; spirale 365; tortile 365; trilaterale 365
Chaetosira 204; javanicus *204*
Chaetopatella 202
Chaetotyphula 200; hyalina 200; typhulina 200
Chalara 1013, 1014
Chalaropsis 635–637, f 638, 1013, 1014
Cheilymenia 501, 726, 1086; coprinaria 1087, f 1088; stercorea 1089, f 1090; theleboloides 1087, f 1088
Chlamydomucor oryzae 323, 615, 618
Chlamydozyma 663–685, f 669; pulcherrima 666, 667, f 669, 676, 678, 682; reukaufii 665–667, f 669, 676, 678, 682, 683; zygota 666, 667, f 669, 676, 682, *683*
Chloroscypha sabinae 530
Choanephora circinans 400; cucurbitarum 533; 1043
Chroogomphus 749
Chrysomyxa 710; arctostaphyli 1095; gossypii 710, *711*
Chrysosporium 446, 447, 646–651; dermatitidis 77; pruinosum 445
Ciborinia foliicola 1095
Ciliaria 1241
Ciliochorella bambusarum 924
Cintractia 241; arctica 233; 241, f 242; caricis 1095
Circinella conica 1031; muscae 400; simplex 400; spinosa 910; sydowi 910; umbellata 364, 400
Cirrenalia 266; macrocephala 266; **pseudomacrocephala** f 265, **266,** 267; pygmea f 265, 266; **tropicalis** f 265, 266, **267**
Cladonia cariosa 1097; coniocraea 1097; deformis 1097; ecmocyna 1097; pyxidata 1097
Cladosporium 340, 374, 402, 448, 449, 593, 702; elatum 647; epiphyllum 567; herbarum 647, 783, 786, 910
Clastoderma debaryanum 426–436, f 429–f 433
Claudopus nidulans 616
Clavaria aurea 1095; pistillata 616
Clavariopsis bulbosa f 261, 267
Claviceps 806; paspali 617, 806–826; purpurea 345–355, 807
Cleistobombardia 704–**705**–707; **pakistani 705,** f 707
Clitocybe 712, f 716, 869, 886; asterospora f 876, 877, 883, 886; highlandensis f 877, 879, 886; hudsonianus 1197; illudens 616; inversa f 877, 878, 886; nebularis 886; odora 886
Clitopilus prunulus 871, f 872, 874
Coccidioides immitis 444, 445
Cokeromyces recurvatus 916–919, f 918, 922
Coleosporium asterum 1095

Colletotrichum 367, 731; dematium 1096; gloeosporioides 373, 374, f 377, 378, 379–381
Collybia albiflavida 616; dryophila 616; fulvipes *183;* maculata 451; maculata var scorzonerea 451–456, f 453, f 454; radicata 616; tenuipes *186;* tuberosa 1095; velutipes 616, 695
Comatricha 756, 757, 763, *766*; caespitosa 756; cylindrica 756; **fusiforme 763;** rubens 756; suksdorfii 763; typhoides 756
Conferva ferax *279*
Conidiobolus 440–443, f 442; chlamydosporus 618; heterosporus 618; nanodes 618; paulus 618; stromidea 618
Coniochaeta *26*; ligniaria *22*; pulveracea 365, 369, 1095
Coniophora 1226; byssoides 1219; kalmiae 1226; puteana 617, 695; suffocata 1226; umbrina 1226
Coniothyrium 366, 696, 780, 783, 786; fuckelii 366, 910
Cookeina 1165
Coprinus 616; atramentarius 616, 619, 623, 625; sclerotigenus 726; semilanatus 616
Cordana pauciseptata 696
Corethropsis 977
Coriscium viride 1196, 1199
Cornicularia aculeata var aculeata 1097; var sorediata 1097
Corollospora 255, *262*; comata 477; maritima 255, *262*, 477; pulchella 255; trifurcata f 254, 255
Cortinarius 746, 1095, 1097; calochrous 1096; elegantior 1096; gentilis 1096; multiformis 1096; obtusus 1096; orichalceus 1096; subcinnamomeus 1096
Coscinopeltis argentinensis 929, 930
Craterium 757
Crepidotus 616, 1097
Cronartium 769, 774, 775; coleosporioides 1169–1177; fusiforme 770, 773; paraguayense 769–*774*–775, f 771, f 772; ribicola 770, 773, 774
Crucibulum levis 1096; vulgare 617
Cryptococcus 646; laurentii 696
Cryptosporium boycei *718*
Cucurbitaria shepherdiae 1095
Cudonia circinans 1095
Cudoniella 1240
Culcitalna achraspora 268
Cunninghamella bainieri 364, 910; bertholletiae 400; blakesleeana 400, 404; echinulata 364, 384–398, 400, 563, 565; elegans 400, 910; verticillata 364
Curvularia 369, 696; geniculata 368, 567; indica 368; lunata 368, 369; spicifera 368, 369; tomato 368
Cyathus stercoreus 695
Cylindrocarpon 910; didymum 696; radicicola 910
Cylindrosporium montenegrinum *1096*
Cyphelium 557; sancti-jacobi *553*–558; tigillare 1097
Cystoderma 744
Cytospora 1097

Dacrymyces deliquescens 616
Dacryopinax spathularia 902–907, f 904, f 905
Dactylaria dactyloides *1153;* leptospora 367
Dactylella 796
Dactylina madreporiformis 1097
Daedalea juniperina 617
Daldinia 210
Daleomyces 498
Dasyscyphus aridus 1095; sulfureus 1095
Delitschia 25
Dematium nigrum 54
Dendrophoma 567
Dendropleella hirta 1095
Dendrosphaera eberhardti 557
Dermatella 1103; frangulae 1103; ravenelii 1103, *1104*, 1106
Dermatocarpon lachneum 1097; reticulatum 1097
Dermea 1103; pseudotsugae 718, 719
Desmazierella acicola 1166
Diacheopsis 1083; **depressa 1082,** f 1082; insessa 1083; metallica 1083; pieninica 1083
Diaporthe phaseolorum var caulivora 593
Diatrype disciformis 88
Dicheirinia guianensis 46
Dichomera saubinetii 366
Dicksonomyces 976–978; sorghi 976, 977
Dicoccum 366
Dicranophora fulva 323
Dictyostelium 57, 58, 62, 332; **deminutivum** 49–**51**–64, f 50, f 57, f 60; discoideum 57, 61, 62; lacteum 52; minutum 49, 52, 53, 59, 711; mucoroides 54, 62, 711; polycephalum 52, 54, 62; purpureum 711
Dictyuchus *272*
Diderma 595–603; subg Leangium 602; asteroides 602, 603; **brooksii 595**–598, f 596; cinereum 599, 600; darjeelingense 599, 600; indicum 599, 600; lyallii 598; **nigrum** f 596, **601**–603; niveum 600, 601; simplex 599, 600; **subcaeruleum** f 596, **598**–601; trevelyani 602

Didymium 434; aurantipes 597; clavus 1084; iridis 90–103, 333, 337, 434, 858–868, 966–970, 1085; **lenticulare 1083,** f 1084, 1085; nigripes 333, 427, 434, 435; squamulosum 1085; xanthopus 90
Didymopsora 769–775; chuguraguae 770, f 772, 773; **paraguayensis 774;** triumfettae 770, f 772, 773
Didymosphaeria enalia 255, 256, f 261, 266
Didymozoophaga *1147;* arthrobotryoides *1149;* kirghizica *1158;* oligospora *1155;* superba *1157*
Dinemasporium 202
Diplococcium resinae 567
Diplodia 366, 783; microsporella 366; subtilis 366
Diplodina 366, 567; pedicularidis 1094, 1097
Diploschistes scruposus 1097
Diplotheca 971; tunae 720
Discina 723; leucoxantha 724, 725; macrospora 724–726, f 724; olympiana 726; perlata f 724, 726
Discula platani 85
Dispira cornuta 915–923, f 918; parvispora 915, 922; simplex 915
Doassansia 710, 711; gossypii 710, *711*
Doratomyces stemonitis 1097
Durandiella fraxini 1103
Durandiomyces *498*

Echinodontium tinctorum 743
Echinosporangium transversalis 364
Ectrogella monostoma 282
Eidamella deflexa 364
Eleutheromyces subulatus 1097
Elsinoe 720, 1098, 1101; baphiae 720; crossopterygis 720; panici 720; quercus-falcatae 720; sacchari 720; salaciae 720; thirumalacharii 1098–1101, f 1099, f 1100; tiliae 720; viticola 720
Emericella nidulans 695
Emmonsia 445–447, 450; basiliensis 445–*447;* ciferrina 445–*447;* crescens 445, 450, 451; parva 450, 451
Endogone 313–325; australis *317;* **calospora** f 320, **322,** 323; fasciculata 313, 314; fuegiana 313; **gigantea** f 320, **321,** 323; **heterogama 319,** f 320, 323; lactiflua 313; macrocarpa 313, 317, 318; var **caledonia** f 315, **318,** 319; var **geospora** f 315, **318,** 319; malleola 314; microcarpa 314; **mosseae 314,** f 315; pampaloniana *317;* pisiformis *314;* sphagnophila 314; tenebrosa *317;* vesiculifera 313, 323
Endomyces magnusii 695; vernalis 1232, 1237
Endomycopsis chodati 695; javanensis 610
Endophyllum 1175
Entomophthora 287–289, 440, 443; auxiliare 443; calliphorae 443; coronata 285, 288; existialis 618; radicans 443
Entyloma arnicale 1096
Epicoccum nigrum 368, 783; purpurascens 910
Epidermophyton floccosum 721; interdigitale 402
Erinellina longispora 617
Erwinia carotovora 52
Erysiphe cichoracearum 1095
Escherichia coli 52, 589
Eutryblidiella 1102–1107; **viburni 1104,** f 1105
Excipula ornata 202, *203*
Exidia nucleata 9–15, f 10, f 12
Exobasidium dimorphosporum 1094, 1096; vaccinii 1096

Fimetaria fimicola 646
Flammulina velutipes 187, 1096
Fomes annosus 617; cajanderi 695; everhartii 617; officinalis 40
Fomitopsis pinicola 1096
Fuligo cinerea 333–336; septica 333, 335, 428
Fumago 368
Fusarium 116, 117, 123, 133, 137, 370, 373, 458, 565, 568, 650, 719, 958, 1011; bulbigenum 368; campylopodii 374; chlamydosporum 368; coeruleum 368; culmorum 910; diversisporum 368; equiseti 910; graminum 368; lateritium 368; merismoides 565; moniliforme 696, 910; nivale 369; oxysporum 116–122, 125–137, 332, 694, 910; var nicotianae 1112; f cubense 116, 117; phacidioideum *718;* radicicola 369; roseum 588; f cerealis 301; semitectum 369; solani 119, 122, 123, 127, 130–134, 137, 410, 780, 782, 1008, f 1010, 1011; f sp phaseoli 457–459; xylarioides 332
Fuscoboletinus 749, 949; paluster f 889, 893
Fusidium 367; viride 567

Galerina 745
Galiella 1165
Gautieria graveolens 1096; monticola 1096
Gelasinospora 24–26, 697, 1119; tetrasperma 25, 695
Genea 499; clausa *507,* 510, *519;* intermedia 520; thwaitesii *520, 523*

Genicularia, 1141
Geodina 1165
Geopora 496–525; annulata *513–519;* brunneola *513–519;* **clausa** f 500, **507,** f 507, 511, 513, *519;* subsp **californica** 504, f 507, f 509, **512,** 519; subsp **clausa 507,** 512; f **clausa** 504, **507,** f 507, f 509, 512, 519; f **ellipsospora** 504, 509, f 509, **511,** 512; cooperi 496–502, f 500, 511–*519;* f **cooperi** 503, 504, f 507, f 509, **513,** 519, 520; f **gilkeyae** 504, f 509, 517–**518**–520, 1094, 1095; glabra *498;* graveolens *513, 519;* harknessii *513*–515, *519;* **longii 500,** f 500; magnata *503, 513–520;* magnifica *513*–515, *520;* mesenterica *513,* 514, 518, *520;* michaelis 498, *520, 522;* schackii *513–520;* **sepulta 500,** f 500
Geoporella 498; michäelis 520, *522*
Geotrichum 960; candidum 119, 122–127, 130–137, 367, 782
Gibbera andersonii 1095
Gilbertella persicaria 1016–1067, f 1016–f 1067
Gliocephalotrichum 780
Gliocladium 568; catenulatum 402, 404, 910; deliquescens 402; fimbriatum 402, 404, 910; penicilloides 402, 404, 567; roseum 402, 696, 782–785, 910; vermoeseni 910
Gloeocystidiellum 828, 829
Gloeophyllum sepiarium 1096
Gloeosporidiella ribis 1097
Gloeosporium 374, 731
Gloeotromera alba 617
Glomerella 739
Glomus macrocarpus *317*
Glyphium schizoporum 1095
Gnomonia platani 84–89, f 86, f 87
Godronia davidsonii 1095; viburni 1102
Gomphidius 749; smithii 1096
Gonatobotrys simplex 250
Gonatobotryum apiculatum f 343, 344; fuscum 244–251, f 247
Gongronella 196; butleri 196, 400
Gonimochaete horridula 443
Gonytrichum macrocladum 910
Graphium 245–251, f 247, 636, 696
Gremmenia 526–*531;* gigaspora 527–*531,* f 528, f 529
Gymnoascus reesii 364, 695
Gymnopus fulvipes *183*
Gymnosporangium bethelii 1096
Gyromitra infula 888, f 889, 890, 1095

Hainesia lythri 696
Haligena viscidula 256
Haloguignardia 477
Halosphaeria 258; appendiculata 263, 477, 479; circumvestita 477; mediosetigera 477; quadricornuta 252–258, f 254, 265; torquata 477; tubulifera 477, 479
Hansenia apiculata 609
Hanseniaspora 604; apiculata 609; guilliermondii 609–611; melligeri 609–611; uvarum 604–612, f 606, f 608; valbyensis 604–611, f 608
Hansenula 678; subpelliculosa 695
Hansfordia 367, 975
Haplosporangium parvum 445
Haptoglossa heterospora 443
Harposporium anguillulae 788
Heimiomyces *158, 186;* fulvipes *183;* tenuipes *186*
Helminthosporium 368, 567, 568, 702; anomalum 567; bicolor 368; gramineum 533, 534; maydis 593; microsorum 368; oryzae 533; sativum 368, 369, 703, f 703; sorokinianum 1124
Helotium 1240; naviculasporium 617
Helvella elastica 1095; fastigiata *725*
Hemimyriangium 971; betulae 971–973, f 972
Hemitrichia vesparium 428
Hendersonia conspurcata 366; planerae 366
Herpomyces *66*
Herpotrichia juniperi 1095; nigra *1095*
Heteropatella umbilicata 1097
Heterosporium allii 567
Histoplasma capsulatum 1108, 1111
Hormiactis alba 367
Hormiscium 368
Hormodendrum 370; cladosporioides 368, 910; hordei 368, 910–913; nigrescens 368, 910–913; olivaceum 368; pallidum 910; resinae 910; viride 910, 912
Humaria *501*
Humariaceae tribe **Scutellinieae 1241**
Humicola alopallonella 267, 268; brevis 780, 910; grisea 368, 567, 910; nigrescens 368, 567
Hyalodendron 367
Hyaloflorae ramosa 367
Hyalopsora polypodii 1096
Hyalostachybotrys 198
Hydnellum caeruleum 1096; suaveolens 1096
Hydnocystis 496–525; arenaria *507–511, 519;* beccarii *507–511*–512, *519;* californica *512, 519;* clausa *507,* 509, *519;* compacta *519, 520;* convoluta *519, 520,* 521; cyclospora *519–521;* echinospora *519, 521;* gyrosa *513, 519;* piligera 499, 503–507, f 510, *520;* singeri *520–523*; thwaitesii *520, 523*
Hydnotrya 498, 522; convoluta *519, 520;* dysodes *519;* ellipsospora 498

Hydnotryopsis michäelis *520, 522*
Hydnum caput-ursi 617; erinaceum 617; imbricatum 1096
Hygroaster 886
Hygrophorus 895, 1197; monticola f 889, 895; vitellinus 1197
Hymenochaete 30; crocicreas 30; velutiiceps 30, *31*
Hymenoscyphus 1240
Hyphoderma 830–832, 841; amoena 831, 834; argillaceum 832, 833–clavigerum 833, 835; pallidum 837; **piliseta 835**; polonense 840, 851; pubera 837; setigerum 851; subtestaceum 851; tenue 830, 837
Hyphodontia 838; pallidula 835; sambuci 838, 840
Hypochnicium 840, 841
Hypochnus 1179; granosus 1178, *1179;* humicola 551
Hypocrea gelatinosa 208–210
Hypomyces lateritius 1095; solani f cucurbitae 1008–1012, f 1010
Hypoxylon 210, 975; sect Applanata 973, 975; atropunctatum 975; diathrauston 1095; fuscum 975; microplacum 973–976, f 974; punctulatum 975
Hysterium angustatum 1095

Ichmadophila ericetorum 1097
Inocybe 406–425, 898; subg Inocybium 417; albidodisca 418; armoricana 412; **chalcodoxantha** f 407, **408,** 409; cincinnatula f 407, 409, 411; decipientoides f 407, 411; eutheles 418; friesii 421, 423; f laricina 421; f nemorosa *420,* 421; kauffmanii 409, 418; lacera 896, f 897, 898; lanatodisca f 407, 412, 413, 416; lanuginosa 415; lasseri 420; lilacinum 1096; longicystis 406, f 410, 413–415; maculata f 410, 413–416; **melleiconica** 409, f 410, **416,** 418; multicoronata 406, f 410, 418, 420; **nemorosa** f 419, **420,** 421; paludosella 1096; petchii 420; phaeoleuca f 419, 421, *422;* subdestricta f 419, *422,* 423; umbrina f 419, 421, 423
Irpex mollis 617

Jafnea 501

Karschia stygia 1095
Keissleriella blepharospora 258
Keratinomyces ajelloi 721
Kiehlia 928, 930; **bambusina** f 927, **928,** 930; var **bambusarum 928;** var **bambusina 928,** f 929; obscura 924–*928,* 930

Labyrinthomyces 523; steenisii 523
Laccaria altaica 1096; laccata 616, 874, f 874, 883, 1096; trullisata 875, f 875, 883
Lachnea 1086, 1241 subg Sepultaria *502;* lojkaena *1087*
Lachnella crucifera 617
Lactarius 883, f 884, 1095, 1097; corrugis 616; deliciosus 1095, 1096; quietus 289; representaneus 1096; scrobiculatus 1096; subdulcis 1096; zonarius 1096
Lamproderma 756–768; **acanthosporum** f 759, f 760, **762,** 763, 767; arcyrioides 765, 767; arcyrionema f 760, 761, 762, 766; atrosporum 765; **biasperosporum 758,** f 759, f 760, 761, 762, 766; carestiae 765, 768; columbinum 768; cribrarioides 756, 767; cristatum 765, 767; echinulatum 767; fuscatum f 759, f 760, 763–767; fusiforme 708, *763;* **griseum 1080,** f 1081; gulielmae 767, 1081; muscorum 767; pulchellum 765, 767; robustum 756, 765, 767; sauteri 756, 765, 768; scintillans 767, 1081; tuberculospora 763–767; verrucosum 765, 767
Lasiosphaeria canescens 1095
Lateropeltis 928; bambusarum 924–*928–*931
Lecanora badia 1097; cinerea 1097; polytropa 1097; rubina var melanophthalma 1097; var rubina 1097; rupicola 1097; thomsonii 1097
Leccinum 749, 943–949, 1204, 1205; sect Leccinum 1210; sect Luteoscabra 947; sect Roseoscabra *948;* sect Scabra 1207; subsect Albella 947; angustisporum 1204; atrostipitatum 1204; aurantiacum 1096; var intermedium 1204; var tuomikoskii 946; **aurantiellum 1207;** discolor 1209; holopus 947; imitatum 944, 1204; insigne 1209; **parvisquamulosum 1208;** ponderosum 944; rotundifoliae 1204; scabrum subsp scabrum 1204; subglabripes 946; subleucophaeum 1204; subtestaceum 944; **succineobrunneum 1209; variobrunneum 1206**
Lecidea armeniaca 1097; atrobrunnea 1097; berengeriana 1097; decipiens 1097; granulosa 1097; luridella 1097
Lentescospora submarina 477
Lentinus cochleatus 616; lepideus 695
Lenzites betulina 979; trabea 695
Lepiota americana 616; morgani 616; naucina 616
Lepista f 878, 879, 886; caespitosa f 878, 879, 886; irina 879, f 881, 886; nuda 879, f 881; sordida 879, f 880

Lepraria candelaris 558
Leptoglossum 1196; lobatum f 1193, f 1194, 1194–1196; muscigenus f 1193, 1195, 1196
Leptographium 636, 646
Leptolegnia *272*, *279*; **piligena 279**; subterranea *279*
Leptolegniella 271, *272*, 275–281; exoosporus 280, 281; keratinophilum 280; piligena *279*
Leptomitus pyriferus *281*
Leptosphaeria albopunctata **477**; artemisiae *366*; avicenniae *259*; discors 477; lycopodina 1095; orae-maris 477; sepalorum 1095
Leptothyrium juncinum 1097
Leucogaster 1096
Leucogyrophana 1226
Leucopaxillus 744, 874, 883; albissimus 744; var lentus f 873, 874
Leucostoma nivea 1095
Libertella blepharis 367
Lignicola laevis 477, 478
Linderina 932, 940
Lomaantha pooga 368
Lophodermium juniperinum 1095
Lophophacidium 526, 528; hyperboreum 528
Lulworthia 259, *260*; fucicola 259; grandispora 259; medusa 259, 478
Lycoperdon coloratum 1096; ericetorum var cepaeforme 1096; flavotinctum 1096; glabellum 1096; molle 1096; umbrinum 1096

Macrophoma 268, 374
Macrophomina 366; acuaria 366
Magnusia 365
Marasmius 159, 616, 1191; amabilipes *186*; cauticinalis *175*; epidryas 1191, f 1193, f 1194; foetida 616, 619, 623, 625; oreades 616, 1096; scorodonius 616
Margarinomyces fasciculatus 780
Marinospora 478; calyptrata 478
Martindalia 456, 457; spironema 456, *457*
Masoniella grisea 567
Melampsora epitea 1096
Melampsorella caryophyllacearum 1096
Melanconis alnis 1095
Melanoleuca 883
Melanospora 503, 511; lagenaria 910
Melanotaenium 239, 240; nolinae 233, *237*, 239, f 239
Membranicium 842
Meristacrum asterospermum 443
Merulius 1211–1231; albus *1219*; americanus 1212, *1222–1224*; atrovirens 1212, f 1225, 1228, *1229*; aureus 1227; bellus 1220, 1222; borealis 1215; byssoideus 1212, f 1225, 1227; corium 1214–1219; cubensis f 1213, *1214*; dubius 1217, *1218*; farlowii *1222*, f 1223; gyrosus *1215*; hexagonoides 1212, 1224–1227, f 1225; himantioides 1223, 1224; hirsutus 1212, f 1213, *1214*; hirtellus 1220, f 1221, 1222; lacrimans 1211, 1212, 1224; var tenuissimum 1222; lichenicola *1217*; molluscus 1226–1228; montanus f 1225, 1226, 1227; pilosus 1212, 1229, f 1229, *1230*; pinastri 1226; rufus 1215–1219, 1230; serpens 1217, 1222; sororius 1215, f 1216, 1217; sulphureus f 1218, 1218, 1219; tignicola 1227, 1228; tomentosus 1220; tremellosus 1211, 1215–1219
Metasphaeria wheeleri 374
Metschnikowia 663–685; bicuspidata 665; kamienskii 679; **pulcherrima 669,** f 669, 673–683, f 680; **reukaufii** f 669, **671**–683; zobellii 666, 667, 676–679
Microascus trigonosporus 365
Micropera 718, 719; abietina 719; **boycei 718,** 719
Microsporum 1012; audouinii 721; canis 721; cookei 721; distortum 721; fulvum 721, *722*; gypseum 721, *722*, 999–1015, f 1002, f 1003, f 1005, f 1007, f 1009, 1242; nanum 721; quinckeanum 1186
Microstoma protracta f 889, 892
Mollisia 617; caesia 617; cinerea 617
Monacrosporium bembicodes 789–800; cionopagum 789–800
Monilia acremonium 367; geophila 367, 647
Monocillium indicum 367
Monodictys austrina 266
Monosporium guttulans 367
Morchella crassipes 617, 619, 623
Mortierella 314, 647, 650, 652, 960; alpina 364; isabellina 646, 648, 651, 910; monospora 647; nana 646, 652; ramanniana 646, 648, 651; var angulispora 646; vantieghemi 364; vinacea 646–648, 651
Mucor 134, 326, 327, 369, 650, 782, 1019; ambiguus 646; caninus 1095; dispersus 364; fragilis 364, 563, 593, 1095; genevensis 400, 1057; globosus 1095; hiemalis 119–125, 128–132, 137, 563, 646, 695, 780, 783, 1095; mucedo 695; plumbeus 364, 1095; pusillus 1095; silvaticus 646; sphaerosporus 364; subtilissimus 1095; varians 364
Mutinus elegans 617
Mycena 744; subg Eumycena 173; sect Deminutivae 173; subsect Fuscae 173; subsect Subincarnatae 173;

amicta 744; pura 616; subcaerulea 744
Mycobacterium phlei 544
Mycobonia 743, 747, 748
Mycogone 955
Mycohypallage 201
Mycolachnea 501
Mycosphaerella pneumatophorae *260*
Mycotypha africana 695
Myriangina 720
Myrianginella 720
Myriangium 720, 971
Myrothecium 567, 568; roridum 567, 910; verrucaria 369, 567, 910
Myxotrichum conjugatum 364

Naemacyclus 526
Nannizzia 1242; gypsea 1000, 1001, f 1002, f 1003, f 1005 f 1007; incurvata 1000, 1005, 1007, f 1009
Nectria fuckeliana 1095
Nectriella pedicularis 1095
Neobarclaya 201–203; congesta 201, 202; primaria 201–*203*
Neogyromitra 723–726; brunnea 725; caroliniana 725; **fastigiata** f 724, **725**, 726; gigas 725, 726
Neonaumovia *528;* tianshanica 528
Neournula 1160, 1165, 1166; **nordmanensis 1161–1167**, f 1162, f 1164, f 1166
Neovossia 655, 656, 661; brachypodii 656, 659, f 659, f 660; horrida 656, 659, f 659, f 660, indica 656–661, f 659, f 660
Nephroma parile 1097
Neurospora 16–28, 102, 534, 697, 940, 941, 1007, 1013, 1119; crassa 17, 24, 25, 301, 331, 589, 932, 1111; dodgei 16–28, f 20, f 21, f 23; sitophila 17, 24, 25; terricola 16–28, f 20, f 21, f 23, 695; tetrasperma 17, 24, 25
Nigrosphaeria 503
Nigrospora oryzae 593; sphaerica 910
Nodulisporium 975

Ochrolechia upsaliensis 1097
Oedocephalum glomerulosum 367
Oidiodendron 340, 649–651; cerealis 367; chlamydosporicum 646, 650; citrinum 650; flavum 367, 647; nigrum 651; periconioides 646, 650; rhodogenum 650; tenuissimum 646; truncatum 344
Oidium 977; simile 367; tenellum 976, 977
Omphalia 616, 1197; campanella *162;* lobatus *1194;* luteolilacina 1197; luteovitellina f 1193, 1196, 1197; parvibulbosa *176*, 177, 188; pubescentipes *175*
Omphalina 1196, 1200; campanella *162;* cornui *180;* orickiana *169;* picta *173;* pyxidata f 1193, f 1197, 1199, 1200
Omphalopsis *158;* campanella *162*
Oospora sulphurea 647
Ophiobolus byssicola 1095
Orbilia 965; obscura *964–966*

Pachybasium 367
Paecilomyces 567, 568, 993; carneus 647, 696; marquandii 696; varioti 402
Panaeolus 1202; campanulatus f 1199, 1201; retirugis 1201; semiovatus f 1199, 1202; separatus *1202;* solidipes f 1199, 1201, 1202; sphinctrinus 1201; subbalteatus 616; venenosus 616
Panellus 1201; patellaris f 1199, 1200
Pannaria pezizoides 1097; pityrea 1097
Panus operculatus 1200, 1201; patellaris *1200*
Papulaspora 369, 568
Paraliomyces lentiferus *260*, f 261
Parmelia austerodes 1097; intestiniformis 1097; saxatilis 1097; stenophylla 1097; substygia 1097
Parmeliella praetermissa 1097
Parmeliopsis ambigua 1097; hyperopta 1097
Pasteurella pestis 450
Patella 1086; theleboloides *1087*
Pellicularia 366
Peltigera aphthosa var aphthosa 1097; canina var rufescens 1097; var spuria 1097; var ulorrhiza 1097; f sorediata 1097; malacea 1097; venosa 1097
Penicillium 122, 123, 128, 130, 131, 134, 137, 190, 198, 290–303, 340, 370, 399, 403, 559, 588, 646–652, 780–786, 911, 979; aculeatum 780–782; adametzi 566, 782; albicans 566, 568; atramentosum 910, 912; atrovenetum 571–590; avellaneum 402; biforme 566; brefeldianum 402, 910; brevicompactum 119, 132, 291, 292, f 293, 300, 365, 402, 780–782, 910; camemberti 291, 292, f 293; canescens 402; casei 402; caseicolum 566, 568; charlesii 365, 402, 910; chrysogenum 291, 292, f 295, 300, 384, 402, 694, 696, 911; citreo-viride 911; citrinum 365, 402, 979; claviforme 291, 294, f 295, 300, 696; commune 402; corylophilum 402, 566, 568; crustosum 402; cyaneofulvum 402; cyaneum 566; cyclopium 119, 132, 291, 294, f 297, 780; cylindrosporum 291, 294, f 297; decumbens 566, 911; digitatum 291, 296, f 298; diversum 365, 566; du-

clauxi 402; egyptiacum 365, 566, 568; expansum 402, 572, 696, 911; fellutanum 911; frequentans 365, 402, 566, 593, 646, 648, 652, 780, 782, 911, 979; funiculosum 365, 402, 566, 780–783, 911, 912; granulatum 402, 911; herquei 291, 296, f 298, 365, 402, 566, 780, 782; humuli 566, 911; implicatum 365, 402; italicum 402; janthinellum 402, 566, 780, 782, 911; javanicum 780, 782; jenseni 365, 566, 911; kapuscinskii 646, 648, 652; lanosum 646, 911; lilacinum 402, 911, 912; luteum 402, 911; martensii 647, 911; megasporum 291, 296, f 299; meleagrinum 365; montanense 646; multicolor 780, 782; nalgiovensis 647; nigricans 402, 566, 651, 911; notatum 402, 911; ochro-chloron 647; oxalicum 566; palitans 780–784; pallidum 402; paxilli 780–784; pinetorum 647, 648, 651; piscarium 365; puberulum 365; purpurescens 403; purpurogenum 365, 402, 911; raciborskii 403; raistrickii 566; restrictum 365, 566, 780–782, 911; rolfsii 647; roqueforti 403; roseo-purpureum 911; rotundum 197, 365; rubrum 403, 566, 911–913; rugulosum 291, f 299, 300, 403, 566; sclerotiorum 566; simplicissimum 403; spiculisporum 403, 780, 782; spinulosum 365, 403; steckii 365, 911, 912; stoloniferum 365, 911; tardum 403; terrestre 403; thomii 365, 566; urticae 403, 566, 911; variabile 365, 403, 780, 782; vermiculatum 403, 780; verruculosum 566; vesiculosum 911; vinaceum 403, 911; waksmani 365, 403, 566; wortmanni 780

Peniophora 831, 841, 842; sect Membranaceae 842; affinis 843–848; albofarcta f 853, 854; albugo f 828, *830;* amoena f 828, 831–834; burtii 852; cana 843, f 844; cinerea 841; colorea f 389, 841; exigua 843, f 844; exilis f 844, 845; firma f 844, 846; fumigata 842; fusca *832,* f 833; fuscomarginata f 844, 846; hiulca 847, f 848, 848; humifaciens f 828, 829; hydnoides 843; inflata f 853, 855; investiens f 828, *831*–834; irregularis *838,* f 839; isabellina f 853, 855; mexicana f 839, 840, 841; montana 832, f 833, *834;* odontioides f 833, *835;* pallidula *835;* phosphorescens f 848, 849; piliseta *835,* f 836; pubera 838; sacchari f 848, 849; sanguinea 846; septocystidia f 850, 850; seymouriana f 839, 842; subiculosa f 850, 851, 852; taxodii f 836, *837;* tenella f 836, *837,* 838; tenuis 830; texana f 850, 852; velutina 843; zonata 852, f 853, 854

Perichaena corticalis 1094

Periconia 911; minutissima 368

Pericystis 189; apis 189

Peridermium 460; cerebroides 1170, 1173–1176; coloradense 1095; ephedrae 437, f 438; filamentosum 1169–1176, f 1173, f 1175; harknessii 1169–1176, f 1171, f 1173; pini 1175; stalactiforme 1169, 1170, 1174, 1175

Peronospora 977; tabacina 533, 543, 613

Pestalotia 567, 911; carissae 367; congesta *201;* eupyrena 367; laurina 567; maculiformans 374, 378

Pestalozzia primaria *201, 203*

Petchiomyces 499, 523; thwaitesii *520,* 523

Peyronellaea 696; glomerata 366

Pezicula 1103; myrtillina 1095; ocellata 1095

Peziza 499, 964; subg Sepultaria 500, *502;* ammophila 512; badia 617, 619, 623; domiciliana 617, 619, 623; fraxini *1103;* **jactata 520; multiguttulata 964**–966, f 965; obscura 964; ostracoderma 366; sepulta 500, 502; viburni 1102–1107, f 1104, *1104*

Phacidium 531; abietis 530, 531; infestans 527–531, f 528, f 529; pinicembrae 527

Phaeocytostroma ambiguum 202

Phakopsora 711; gossypii 710, 711

Phallus impudicus 617, 619, 623–625

Phanerochaete 831, 842, 843, 851, 855

Phialea 1240

Phialophora 567, 647; americana 344; jeanselmei 119–137; lagerbergii 344; richardsiae 342; verrucosa 567, 783

Phillipsia 1165

Phlebia 852, 1214; subserialis 854

Phleogena faginea 457

Phleospora aceris 1097

Pholiota 753; subg Flammuloides 753; adiposa 695

Phoma 202, 268, 362, 366, 374, 567, 696, 783; glomerata 911, 912; herbarum 119–137; hibernica 911; piceina 1097

Phomopsis 202

Phragmidium fusiforme 1096; peckianum 1096

Phragmonaevia gigaspora *527*–530

Phycomyces 1051; blakesleeanus 400, 695, 1237; nitens 301, 400, 1031; theobromatus 400

Phyllachora bambusina 924–*928*–931, f 927; polemonii 1094, 1095

Phyllosticta trollii 1097

Phymatomyces 523

Physarella oblonga 333–337

Physarum 364, 757; flavicomum 332–335, 434; gyrosum 333–337; melleum 428; mutabile 597; polycephalum 90, 102, 332–337, 427, 865; pusillum 333; rubiginosum 1094
Phytophthora 1112; cinnamomi 1112–1116; cryptogea 1112; megasperma 1112–1116; var sojae 593; palmivora 940
Pichia 678
Pilacre petersii 457
Piptocephalis 326–330, 915; **brijmohanii 326,** f 329, 330; debaryana 326; indica 326; lemonnieriana 330; lepidula 329, 330; microcephala 329; tieghemiana 326, 330; virginiana 922; xenophila 922
Piricauda 368
Pithomyces 728; chartarum 727–730, f 728, f 729
Placosphaeria bambusacearum 924
Plectania 1165; coccinea 617; melastoma 1166; occidentalis 617
Pleiochaeta setosa 368
Pleospora 478; calvescens 366
Pleurage 24–26, 366
Pleurotus 627, 632, 633; atrocaeruleus var griseus 616; corticatus 628; lignatilis 629; ostreatus 627–634; sapidus 616; septicus 616
Plicatura 1215
Pluteus cervinus 750
Podospora 707
Polynema 201–203; ornatum *202*, 203
Polyporus 743, 747, 748; anceps 695; confluens 1096; delectans 617; elegans 1096; melanopus 1096; ovinus 1096; schweinitzii 40, 617; squamosus 747; tuberaster 747
Polysphondylium pallidum, 711; violaceum 711
Polystictus versicolor 143
Poria 1218; cocos 1219; mappa 1220; mollusca 1217; monticola 695, 1220; placenta 1220; sanguinolenta 1218
Porodaedalea pini 1096
Poronia 464, 465; oedipus 464, f 465
Porphyrellus 748, 949; pseudoscaber 950; subsp cyaneocinctus 950
Protascus subuliformis 443
Protomyces endogenum 240
Psathyrella disseminata 616; rigidipes f 897, 898
Pseudeurotium multisporum 695
Pseudhydnotrya 498–*502*; carnea *513–515*, 519; harknessii 500, 502, *513–519*; nigra *503*, *513*, 515, 519, *520*
Pseudoarachniotus citrinus 364; reticulatus 364; roseus 364
Pseudobalsamia carnea *513*; harknessii *513*; nigra *513*
Pseudocraterellus 752
Pseudofavolus 747
Pseudolachnea 202
Pseudomonas 57; fluorescens 51, 52, 55–59
Pseudoplectania 1166
Pseudotomentella 547–552; flavovirens 551; **humicola 547,** f 549, f 551, 551; umbrina 551; vepallidospora 547
Psilocybe cubensis 616
Psoroma hypnorum 1097
Puccinia 702; bistortae 1096; caricis-shepherdiae 1096; dioica 1096; excursionis 1094, 1096; graminis 703, f 703, 774; heucherae var heucherae 1096; hieracii 1096; nephroidea 47, 48; pazschkei var tricuspidata 1096; podophylli 461; recondita 1096; variabilis 461
Pucciniastrum pustulatum 1096; vaccinii 1096
Pullularia pullulans 646, 648, 651, 783–786
Pyrenochaeta 202; decipiens 366, 567; terrestris 789–793
Pyronema confluens 940
Pythium 193–195, 278, 332, 364, 782, 802–805, 1055, 1243–1246; acanthophoron 195; aphanidermatum 1244; arrhenomanes 1244; artotrogus 195, 1245; debaryanum 695, 1244, 1245; dissoticum 1244, 1245; echinocarpum 195; graminicola 1244; **heterothallicum 803,** f 804; irregulare 1112, 1244, 1245; mamillatum 1244, 1245; paroecandrum 1244; periplocum 1244; polytylum 1244, 1245; proliferum 1244, 1245; scleroteichum 195; spinosum 1244; sylvaticum 802; torulosum 1245; vexans 1244

Radiomyces embreei 364
Ramularia heraclei 1097
Ravenelia 42–48; atrocrustacea 42, 43, f 44; bakeriana f 44, 45, 46, f 47; lonchocarpi f 44, 46, f 47, 48; lonchocarpiicola var lonchocarpiicola 43, f 44; var **mera 43;** var **robusta 45;** mera *43*; sydowiana 42, f 44; tavaensis *42*, 43
Remispora 262; hamata 478; maritima 478; ornata 478, 479; pilleata 479; quadriremis 262–265; **salina** f 254, 255–258, **262**–265
Rhabdospora 366; lupini 202
Rhinotrichum 367, 976, 977; cucumerinum *977*; tenellum *976*, 977
Rhizidiomyces 145; apophysatus 143
Rhizoctonia 647; solani 1112, 1115
Rhizophlyctis rosea 364

Rhizopogon 745, 746, 751, 753, 1096; melanogastroides 745
Rhizopus 588, 1045; arrhizus 588, 1095; chinensis 363, 364; nigricans 364, 911, 1031; niveus 1095; oligosporus 593; oryzae 911, 1095; stolonifer 695, *1031*, 1059; tiencheuliensis 618; tritici 400
Rhodocybe 886
Rhodotorula mucilaginosa 119–137
Rinodina oreina 1097
Roestelia 460
Russula alutacea 1096; delica 1096; dissimulans 879, f 882; fallax 1096; regalis 1096; xerampelina 1096

Saccharomyces 678; apiculatus 609; cereviseae 695, 1232, 1237; tellustris 610
Saprolegnia bodanica *279;* dioica *279;* var racemosa *279;* esocina *279;* ferax 279, 695, 1059; molluscorum *279;* thureti *279*
Sarcina lutea 52
Sarcoscypha coccinea 1166
Sarcosoma 1166
Sarcotrochila balsameae 530; piniperda 530
Schizophyllum 287–289; commune 288, 695
Schizosaccharomyces octosporus 694, 695
Schizothyrium 928; bambusellum 925–*928*, f 927, 930
Scleroderma fuscum 557
Sclerospora sorghi 977
Sclerotinia 1240; fructigena 932–942, f 934–f 939
Sclerotium 369; rolfsii 1112
Scopulariopsis 911, 993; brevicaulis 403, 561, 563, 569, 911; var glabra 403; carbonaria 567; chartarum 367; flava 403
Scutellinia 501, 1086, 1241
Secotium 617
Sepedonium 367, 956; chrysospermum 367, 567, 911, 956, 1097
Septogloeum gillii 373, 374, 377, f 377, 379–381
Septonema pallidum 368
Septoria 366; aromatica 1094, 1097; astragalina 1097; curvispora 1097
Sepultaria 498–*502;* longii *500;* sepulta 499
Serpula 1211, 1212, 1226, 1227; byssoidea 1228; destruens 1211; hexagonoides 1226; himantioides 1224, 1226; lacrimans 1211, 1212, 1226; var himantioides 1224; mollusca 1226; pinastri 1228, 1229
Serratia marcescens 52
Setodochium 207; cesearinae 208
Shanoria 924, 930; bambusacearum 924, 928; var bambusacearum 928; var **bambusae** f 927, **928,** f 929
Simblum sphaerocephalum 617
Sirodesmium 368
Sirosporium mori 368
Solorina crocea 1097
Sordaria 24, 25, 287, 289, 369, 697, 707, 1117, 1118; fimicola f 247, 249, 250, 288, 366, 695, 1120; heterothallis 1117; macrospora 366; **thermophila 1117**
Sorosporium mixtum *232*, f 235, *236*
Sphaceloma 720; caricae 720; glycines 720; papayae 720; prunus-domesticae 720; uberabensis 720
Sphacelotheca hydropiperis *232*, f 235, *236*
Sphaeria arceuthobii *372;* setchellii 503; uliginosa 707; zobellii 503
Sphaerobolus stellatus 617
Sphaerocreas 314
Sphaeronemella helvellae 890, 1095
Sphaeropsis 366
Sphaerosoma 521; tasmanica 521
Sphaerotheca fuliginea 1095; macularis 1095
Sphaerulina orae-maris 479; pedicellata 479
Sphinctrinopsis 557; pertusariae 557
Spicaria violacea 384, 566, 568
Sporastatia testudinea 1097
Sporonema 369
Sporormia 25, 369; intermedia 366; minima 366
Sporotrichum *651*, 911; carnis 367; epigaeum 367; pruinosum 446, *447;* schenckii 561, 563, 569
Stachybotrys 198; atra 368; bisbyi 198; lobulata 368; sacchari 198
Stagonospora 366
Staurothele clopima 1097
Stemonitis 757
Stemphylium 696, 728, 1097; botryosum 368, 532–546; consortiale 911; solani 104–114
Stephanoma 955–959; italicum 955; meliolae 956; negeri 956; **phaeospora 956–**959, f 957; strigosum 955, 958; tetracoccum 956
Stephanosporium cerealis *652*
Stereocaulon 1217
Stereum 35, 209; abietinum 1096; cinerascens 1096; hirsutum 617; taxodii 743
Stictis radiata 1095
Stigmateopsis *924*, 930; bambusae 924, 925, *928*, 929
Stigmatomyces 65–75; baeri *66*, 72; **ceratophorus** f 67, **68–***75*, f 69, f 70
Stigmella dryophylla 366
Stilbum 696

Streptomyces 54; viridochromogenes 301
Strickeria mutabilis 366
Strobilomyces floccopus 948
Stropharia 900; hornemannii 1096; magnivelaris f 897, 899, 900; squamosa 900
Suillus 749, 750; granulatus 1096; piperatus 1204; tomentosus 749, 1096
Syncephalastrum racemosum 400, 404, 563, 918
Syncephalis 915
Synchytrium aureum 1095
Syzygites megalocarpus 618

Tapesia lonicerae 1095
Tetracoccosporium quadratum 368
Texosporium 557; **sancti-jacobi** 553–557–558, f 554, f 556
Thamnidium elegans 400, 1095
Thamnolia subuliformis 1097
Thecotheus 1086; pelletieri f 1088, 1091
Thelephora botryoides 1179; caryophyllea 1096; granosa 1179; olivacea β botryoides 1178
Thielavia 707; terricola 365
Thraustochytrium 480–495; aggregatum 481; aureum 481, 484, 490–495; globosum 480; kinnei 480; motivum 481, 484, f 489, 490–495; multirudimentale 481; pachydermum 480; proliferum 480; roseum 481, 484, 491–495; visurgense 481, 484, f 486, 491–*495*
Tieghemiomyces 563
Tilachlidium 911; pinnatum 1097
Tilletia *232*, 661; asperifolioides 232, 233, f 239, 240; caries 656; commelinae 232
Titaeospora equiseti 1097
Tolyposporella 239; brunckii 237; chrysopogonis 239
Tomentella 551, 1181; bombycina 941; botryoides 1178; bourdotii 1178–1184, *1179*; f macrospora *1179*; granosa 1178, *1179*, 1183; macrospora 1179; **neobourdotii 1179**, f 1180, 1181, f 1182; trachychaites 1181
Toninia cumulata 1097
Torpedospora radiata 265, *266*
Torula 911; allii 368
Torulomyces lagena 646
Triangularia 26
Trichia fallax 426
Trichocladium opacum 646
Trichoderma 568, 649; album 647, 648, 651; glaucum 367, 567, 911; koningi 567, 911; lignorum 367, 567, 911; viride 119–137, 403, 593, 646–648, 652, 780–783, 786
Trichoglossum 197; rasum 197
Tricholoma portentosum 1096; vaccinum 1096
Trichophaea 501, 726, 1086, 1241
Trichophyton concentricum 721; evolceanui 721; gallinae 721; interdigitale 384; megninii 721; mentagrophytes 561, 563, 569, 721, 1013, 1185–1189; var quinckeanum 1185, 1188; quinckeanum 1185–1189, f 1187; rubrum 721; schoenleinii 721; terrestre 721; tonsurans 721; verrucosum 721; violaceum 721
Trichothecium 1140, 1141; cladodes *1151*; var macroides *1151*; musiformis *1154*; robustum *1156*; roseum 403
Tripospermum myrti 368
Tripterospora 707
Truncatella ramulosa 618
Tryblidiopsis 1102; pinastri 1095
Tuberculariа vulgaris 1097
Tuberculina paraguayensis 769
Tuburcinia dioscoreae *439*
Tylopilus 748, 948–954; sect **Roseoscabra 948; chromapes 948; cyaneotinctus** f 949, **952**–954; gracilis 748; pseudoscaber f 949, **950**–954; **sordidus** f 949, **950**–954; **umbrosus** f 949, **950**–954
Tympanis 1102, 1103; picastra 1102–*1104*, f 1104, 1106; ravenelii 1102–*1104*, f 1104, 1106; saligna 1095, 1103
Typhula hyalina 200

Uleomyces **720**
Umbilicaria decussata 1097; deusta 1097; hyperborea 1097; krascheninnikovii 1098; vellea 1098; virginis 1098
Uredo 460; gossypii 710; ierensis 43, 48; margine-incrassata *45*
Urnula 1165; craterium 617, 1165–1167; hiemalis 1165
Urocystis 439; dioscoreae 439, f 439, 440; fraseri 233, f 239, 240; italica 955
Urohendersonia 366
Uromyces ervi 461; hedysari-obscuri 461; heterodermus 1096; minor 1096; triquetrus 461
Usnea cavernosa 1098
Ustilago 232, 239; aegopogonis 233, f 235, 237; bethelii 233, f 239, 240, 242; buchloes 232, 233, f 235; commelinae 232, 235, f 235; crusgalli 233, f 239, 241; hilariicola 232; jacksonii 232, 235, f 235; maydis 237; residua 233, f 239, 240; shastensis 232, f 235, 236, 242; vilfae 233, 241, f 242

Valsa ambiens 1095; chrysosperma 1097
Veluticeps 30, 35; berkeleyi 29–41, f 33–f 37; crocicreas 30; fusca 29–*31*–35; heimii 36; pini 36; setosa 35
Venturia 366; inaequalis 695
Verticicladium 1166
Verticillium 374, 955, 956, 959; alboatrum 567; lateritium 567; terrestre 646
Virgariella fuscopurpurea 367
Volutella ciliata 696

Wallrothiella arceuthobii 372–381, f 376
Wiesneriomyces 204; javanicus 203–208, f 206, f 207

Xanthoconium 749
Xanthoria elegans 1098
Xerocomus 948; subtomentosus 1096, 1204
Xeromphalina 156–188, 1191; subg Xeromphalina *161;* sect Euxeromphalina *161;* sect **Fulvipes** 159, **183;** sect Heimiomyces 161, 186, 187; sect **Xeromphalina** 159, **161,** 177, 180, 183, 1191; subsect Campanellae *161;* subsect **Cornuae** 161, **180,** 183, 1191; subsect Mutabiles 161, 175, 177, 180, 181, 1191; subsect Orickianae *161;* subsect Pictae 161, 173; subsect **Xeromphalina 161,** 169–173; amara 180–183; **brunneola** f 160, 162–**167**–169, f 164, f 184, 188; campanella f 157, f 160, 161–165, 169, 188; cauticinalis f 169, f 174, 175, 177, 188; var **acida** 175, **177;** var cauticinalis 175, 179; cornui f 172, 180, 183, 188; fraxinophila f 171, 175–179; fulvipes f 174, f 178, 183–188; kauffmanii f 157, 162–165, 169, f 184, 188; orickiana f 157, 161, 165, f 166, 169–172, 188; picta 156, f 160, 173, 175, 188; tenuipes f 166, f 171, f 184, 185–188
Xylaria 617

Zalarion maritima 368
Zignoella enormis 479
Zygorhynchus 323; heterogamus 400; moelleri 400, 780, 782
Zygosporium 199; echinosporum 199; masonii 199

HOST INDEX

The Host Index includes generic names of hosts and the fungi which are definitely indicated in the text as occurring on a host.

Abies
  Hypoxylon diathrauston 1095
  Nectria fuckeliana 1095
  Phacidium abietis 530
  Veluticeps berkeleyi 30, 35
Acer
  Phleospora aceris 1097
  Pleurotus 627
  Pythium heterothallicum 802
  Septoria curvispora 1097
  Tomentella neobourdotii 1183
Agoseris
  Puccinia dioica 1096; hieracii 1096
Aleurites
  Chaetotyphula hyalina 200
  Pythium heterothallicum 803
Alnus
  Melanconis alnis 1095
  Peniophora firma 846
  Tomentella neobourdotii 1183
  Tubercularia vulgaris 1097
Anthophora (animal)
  Ascosphaera apis 190; var major 189
Arceuthobium
  Colletotrichum gloesosporioides 373, 378
  Metasphaeria wheeleri 374
  Pestalotia maculiformans 374, 378
  Septogloeum gillii 377
  Wallrothiella arceuthobii 372, 375
Arctostaphylos
  Exobasidium vaccinii 1096
Arnica
  Entyloma arnicale 1096
Artemia (animal)
  Metschnikowia 683
Astragalus
  Septoria astragalina 1097
Avicennia
  Culcitalna achraspora 268
  Didymosphaeria enalia 256
  Leptosphaeria avicenniae 259
  Lulworthia 259
  Mycosphaerella pneumatophorae 260
  Paraliomyces lentiferus 260
  Phoma 268
  Torpedospora radiata 265, 266

Barnadesia
  Cronartium paraguayense 774
  Didymopsora paraguayensis 775
Betula
  Hemimyriangium betulae 971
  Merulius gyrosus 1215
  Tomentella neobourdotii 1183

Beletus
Sepedonium chrysospermum 1097
Bouteloua
Ustilago buchloes 232
Bromus
Puccinia recondita 1096
Brosimum
Sphaceloma uberabensis 720

Caesalpinia
Wiesneriomyces javanicus 204
Carex
Cintractia arctica 233; caricis 1095
Puccinia dioica 1096
Carpinus
Tomentella neobourdotii 1180
Tympanis ravenelii 1102, 1103
Carya
Pleurotus 627
Castanea
Cronartium fusiforme 770
Excipula ornata 202
Castilleja
Peridermium filamentosum 1169; stalactiforme 1169
Sphaerotheca fuliginea 1095
Ceratocystis
Gonatobotryum fuscum 244
Citrus
Peniophora albofarcta 854
Cocos
Gongronella butleri 196
Halosphaeria quadricornuta 256
Typhula hyalina 200
Zygosporium masonii 199
Cokeromyces
Dispira cornuta 916
Commelina
Ustilago commelinae 232
Corchorus
Orbilia obscura 965
Cortinarius
Eleutheromyces subulatus 1097
Crataegus
Gymnosporangium bethelii 1096
Tomentella neobourdotii 1183
Crepidotus
Eleutheromyces subulatus 1097
Cystopteris
Hyalopsora polypodii 1096

Danthonia
Ustilago residua 233
Daphnia (animal)
Metschnikowia 683
Dasyhelea (animal)
Metschnikowia 683
Dioscorea
Urocystis dioscoreae 439
Diplostomum (animal)
Metschnikowia 683
Dipterocarpus
Halosphaeria quadricornuta 256
Dryas
Marasmius epidryas 1191

Echinochloa
Ustilago crusgalli 233
Ephedra
Peridermium ephedrae 437
Epilobium
Metschnikowia reukaufii 671, 673
Pucciniastrum pustulatum 1096
Equisetum
Titaeospora equiseti 1097
Erigeron
Puccinia dioica 1096; excursionis 1094, 1096
Eriochloa
Sorosporium mixtum 232
Erythronium
Botrytis cinerea 1096
Colletotrichum dematium 1096
Uromyces heterodermus 1096
Eurotia
Pythium heterothallicum 803

Fagus
Merulius dubius 1218
Fannia (animal)
Stigmatomyces 66; ceratophorus 68, 73
Ficus
Chaetotyphula typhulina 200
Wiesneriomyces javanicus 203
Fraxinus
Dermea 1103
Xeromphalina fraxinophila 180

Gloeosporium
Caulochytrium gloeosporii 731
Glycosmis
Peziza multiguttulata 965
Gossypium
Doassansia gossypii 710
Graphium
Gonatobotryum fuscum 245
Gyromitra
Sphaeronemella helvellae 1095

Hemicycliophora (animal)
Catenaria anguillulae 143
Heracleum
Heteropatella umbilicata 1097
Nectriella pedicularis 1095
Ramularia heraclei 1097
Heterodera (animal)
Entomophthora auxiliare 443; callifphorae 443; radicans 443
Heuchera
Puccinia heucherae var heucherae 1096

Hilaria
Ustilago aegopogonis 233; vilfae 233

Ilex
Eutryblidiella viburni 1106
Peziza viburni 1102–1107
Tympanis picastra 1102, 1103; ravenelii 1102, 1103
Iris
Diacheopsis depressa 1083
Lamproderma griseum 1081

Juglans
Ceratocystis 636
Juncus
Leptosphaeria sepalorum 1095
Leptothyrium juncinum 1097
Juniperus
Lophodermium juniperinum 1095
Peniophora texana 852

Kobresia
Anthracoidea 1095

Lactarius
Collybia tuberosa 1095
Hypomyces lateritius 1095
Tilachlidium pinnatum 1097
Larix
Tomentella neobourdotii 1183
Ligusticum
Septoria aromatica 1097
Liriodendron
Merulius atrovirens 1229
Lonchocarpus
Dicheirinia guianensis 46
Ravenelia atrocrustacea 43; bakeriana 46; lonchocarpi 47; lonchocarpiicola 43; var lonchocarpiicola 43; var mera 45; var robusta 45; sydowiana 42
Lonicera
Gibbera andersonii 1095
Glyphium schizoporum 1095
Lycopodium
Leptosphaeria lycopodina 1095

Macrocystis
Metschnikowia 683
Mangifera
Clavariopsis bulbosa 267
Megachile (animal)
Ascosphaera apis 190; var apis 189
Mertensia
Erysiphe cichoracearum 1095
Mucor
Piptocephalis brijmohanii 326, 327
Muhlenbergia
Tilletia asperifolioides 233
Ustilago bethelii 233
Musca (animal)
Stigmatomyces baeri 66

Nolina
Melanotaenium nolinae 233, 239

Pedicularis
Diplodina pedicularidis 1097
Sphaerotheca fuliginea 1095; macularis 1095
Pedilanthus
Peziza multiguttulata 965
Physocarpus
Coniochaeta pulveracea 1095
Picea
Auricularia auricula 1095
Ceratocystis alba 638
Chrysomyxa arctostaphyli 1095
Herpotrichia juniperi 1095
Pseudotomentella humicola 551
Pinus
Aphanomycopsis saprophyticus 273
Endogone lactiflua 313
Haligena viscidula 256
Merulius albus 1219; americanus 1223; farlowii 1222; montanus 1227; sororius 1217
Neournula nordmanensis 1163
Peridermium harknessii 1173
Phragmonaevia gigaspora 527
Tomentella neobourdotii 1183
Veluticeps berkeleyi 30, 33; fusca 29; pini 36
Xeromphalina cauticinalis var cauticinalis 176
Platanus
Gnomonia platani 84
Polemonium
Phyllachora polemonii 1095
Sphaerotheca macularis 1095
Polygonum
Puccinia bistortae 1096
Sphacelotheca hydropiperis 232
Ustilago shastensis 232
Populus
Cytospora 1097
Pythium heterothallicum 803
Tomentella neobourdotii 1183
Valsa chrysosperma 1097
Prunus
Ceratocystis 635, 636; alba 637; californica 640
Chalaropsis 635, 636
Graphium 636
Leptographium 636
Pythium heterothallicum 802
Pseudotsuga
Cryptosporium boycei 718
Fusarium phacidioideum 718
Halosphaeria quadricornuta 256
Xeromphalina cauticinalis var cauticinalis 176

Quercus
Merulius pilosus 1230; sulphureus 1219
Tomentella neobourdotii 1183

Rattus (animal)
Emmonsia crescens 451
Rhabditis (animal)
Entomophthora 440
Rhizophora
Cirrenalia tropicalis 267
Culcitalna achraspora 268
Didymosphaeria enalia 255
Haligena viscidula 256
Halosphaeria quadricornuta 256
Keissleriella blepharospora 258
Lulworthia 259, 260
Paraliomyces lentiferus 260
Phoma 268
Torpedospora radiata 265, 266
Rhododendron
Pythium heterothallicum 802
Ribes
Cronartium ribicola 770
Gloeosporidiella ribis 1097
Valsa ambiens 1095
Rosa
Phragmidium fusiforme 1096
Rubus
Peniophora isabellina 855
Phragmidium peckianum 1096

Saccharum
Peniophora sacchari 849
Salix
Leucostoma nivea 1095
Melampsora epitea 1096
Stereum cinerascens 1096
Valsa ambiens 1095
Sambucus
Dendropleella hirta 1095
Ophiobolus byssicola 1095
Pythium heterothallicum 803
Sassafras
Hypoxylon microplacum 973
Saxifraga
Puccinia heucherae var heucherae 1096 · pazschkei var tricuspidata 1096
Sphaerotheca fuliginea 1095
Synchytrium aureum 1095
Scutia
Elsinoe thirumalacharii 1098
Sequoia
Merulius hexagonoides 1226
Xeromphalina orickiana 171
Shepherdia
Cucurbitaria shepherdiae 1095
Puccinia caricis-shepherdiae 1096
Solidago
Coleosporium asterum 1095
Stereocaulon
Merulius lichenicola 1217
Stipa
Urocystis fraseri 233
Ustilago jacksonii 232
Suncus (animal)
Emmonsia crescens 451
Swartzia
Ravenelia atrocrustacea 43
Syncephalastrum
Dispira cornuta 918

Taxodium
Hyphoderma tenue 837
Thuja
Peniophora humifaciens 829
Pseudotomentella humicola 547, 551
Trifolium
Uromyces minor 1096
Triticum
Neovossia indica 656
Trollius
Cercosporella trollii 1096
Cylindrosporium montenegrinum 1096
Phyllosticta trollii 1097
Tsuga
Xeromphalina cauticinalis var cauticinalis 176

Ulmus
Pleurotus 627

Vaccinium
Calyptospora goeppertianum 1095
Exobasidium dimorphosporum 1096
Marasmius epidryas 1191
Pucciniastrum vaccinii 1096
Viburnum
Peziza viburni 1102
Viola
Brevilegnia gracilis 193; macrospora 193
Vitis
Metschnikowia pulcherrima 669